## Antiplane shear of an asymmetric sandwich plate

Julius Kaplunov · Ludmila Prikazchikova · Mohammed Alkinidri

Received: date / Accepted: date

**Abstract** An asymmetric three-layered laminate with prescribed stresses along the faces is considered. The outer layers are assumed to be much stiffer than the inner one. The focus is on long-wave low-frequency anti-plane shear. Asymptotic analysis of the original dispersion relation reveals a low-frequency harmonic supporting a slow quasi-static (or static at the limit) decay along with near cut-off wave propagation. In spite of asymmetry of the problem, the leading order shortened polynomial dispersion relation factorises into two simpler ones corresponding to the fundamental mode and the aformentioned harmonic. The associated 1D equations of motion derived in the paper are also split into two second-order operators in line with the factorisation of the shortened dispersion relation. Asymptotically justified boundary conditions are established using the Saint-Venant's principle modified by taking into account the highcontrast properties of the laminate.

**Keywords** Sandwich  $\cdot$  Asymptotic  $\cdot$  Saint-Venant  $\cdot$  Long wave  $\cdot$  Low frequency  $\cdot$  Boundary Conditions

#### 1 Introduction

Thin multi-layered structures have always been among main focuses in structural and solid mechanics. There is a substantial literature on the subject,

J. Kaplunov Keele University, Staffordshire, UK, ST5 5BG E-mail: j.kaplunov@keele.ac.uk

L. Prikazchikova Keele University, Staffordshire, UK, ST5 5BG E-mail: l.prikazchikova@keele.ac.uk

M. Alkinidri King Abdulaziz University, Jeddah, Saudi Arabia Keele University, Staffordshire, UK, ST5 5BG E-mail: m.o.s.alkinidri@keele.ac.uk including in particular advanced research monographs [1] and [2] as well as most recent review articles [3–5], and insightful papers [6–8], to name a few. Modern industrial applications provide additional motivation to studying laminates, especially with high contrast geometric and physical properties of the layers, see for example [9–12] for photovoltaic panels and laminated glass, [13] for components of lightweight vehicles, [14] for sandwich panels in building construction. Modelling of such structures is of clear practical importance, and numerous efforts have already been made to establish various methodologies, see e.g. [15–18] and references therein, along with the citations above.

The asymptotic methods proved to be most efficient for thin elastic plates and shells, see e.g. [19–24], can also be applied to structures with high contrast properties, see [25–30]. In particular, in [28] multi-parametric nature of the problem for a symmetric sandwich plate with traction free faces was revealed with the emphasis on the effect of extra problem parameters , i.e. the ratios of thickness, densities and stiffness of the layers. In the cited paper the conditions on these parameters are obtained ensuring the lowest shear cut-off frequency to become asymptotically small, see also [31,32]. As a result, the range of validity for the classical plate bending theory may become rather restricted motivating derivation of two-mode approximations involving the first shear harmonic along with the fundamental bending mode.

A more explicit insight into asymptotic phenomena, observed for the planestrain problem studied in [28], has been produced for its less technical antiplane counterpart in [29] dealing with the antisymmetric motion with respect to the mid-surface. Such motion does not support a symmetric fundamental mode, while wave propagation occurs above the smallest cut-off frequency with its value tending to zero at the high contrast setups considered in the paper. In addition to shortened polynomial dispersion relations, the associated 1D equations of motion for long-wave low-frequency vibrations were also derived.

In this paper we generalise the approach developed in [28] and [29] for antiplane shear of a three-layered asymmetric laminate with traction free faces. We restrict ourselves with the high contrast scenario in which outer layers are stiff, while middle one is relatively soft. The considered scalar problem is apparently the most explicit example in mechanics demonstrating a two-mode long-wave low-frequency behaviour involving the first harmonic along with the fundamental mode.

In Section 3 we study the exact dispersion relation presented in Section 2 at the long-wave low-frequency limit. It is shown that the leading order shortened polynomial equation (a rather sophisticated asymptotic behaviour of its coefficients is evaluated in Appendix 1) can be factorised into two ones corresponding to the fundamental mode and harmonic. In this case, the latter equation also covers a slow quasi-static (and static at zero frequency) decay below the small cut-off frequency in question, when the associated harmonic becomes evanescent. The factorisation of the asymptotic dispersion relation seems to be counter-intuitive since the coupling of two studied modes could be expected due to the asymmetry of the laminate. In fact, the assumed high contrast in problem parameters makes such coupling asymptotically negligible.

Next, in Section 4 we adapt a preliminary asymptotic insight coming from analysis of the dispersion relation for deriving 1D equations of motion generalising the technique established in [29], see also [20,21]. As might be expected, the derived partial differential operator can also be factorised into two second-order operators corresponding to the fundamental mode and the lowest harmonic. As above, the operator governing the harmonic describes a slow decaying behaviour below the cut-off. In Section 5, following the long-term tradition in the theory for thin elastic structures, e.g. see [33], the obtained governing equations are re-written in terms of stress resultants, stress couples and also the average displacement and the angle of rotation.

In Section 6 we apply the Saint-Venant's principle [34] combined with asymptotic considerations for formulating of boundary conditions extending the powerful procedure developed for homogeneous plates and shells, e.g. see [19,35–37]. We start with the so-called decay conditions for a semi-infinite three-layered strip in case of its static equilibrium subject to homogeneous boundary conditions along the faces and prescribed anti-plane shear stresses at the edge, see for example [35,38,39]. In contrast to the conventional approach, we require a 'strong' decay of the boundary layer, resulting in localisation of the induced stress field over the narrow vicinity of the edge, with a typical length of the same order as the strip thickness. In this case slowly decaying solutions, characteristic of high-contrast laminates, e.g. see [40], are not counted as boundary layers.

Two decay conditions are formulated in this section. The first of them is given by an exact formula which expresses the self-equilibrium of the prescribed shear stress in agreement with the classical Saint-Venant's principle. The second decay condition is of asymptotic nature. Fortunately, it takes an explicit form for the considered high contrast case. This condition is tested by comparison with the calculations for a symmetric sandwich using the Laplace transform technique, see Appendix 2.

The derived decay conditions immediately lead to the inhomogeneous boundary conditions at the edge of a finite length laminate using straightforward scheme. It consists in inserting the deviation between the given edge stress and that calculated from 1D governing equations into the decay conditions, see for greater detail [41]. It is also worth mentioning that two boundary conditions in Section 6 do not imply coupling of the solutions to the related second-order equations.

#### 2 Statement of the problem

Consider a three-layered asymmetric laminate with the isotropic layers of thickness  $h_1$ ,  $h_2$  and  $h_3$ , see Fig. 1. The Cartesian coordinate system is chosen in such a way that the axis  $x_1$  goes through the mid-plane of the core layer. In what follows two outer layers have the same material parameters.

For the antiplane shear motion the only non-zero displacement is orthogonal to the  $x_1x_2$  plane. Hence, the equations of motion for each layer can be written as

$$\frac{\partial \sigma_{13}^q}{\partial x_1} + \frac{\partial \sigma_{23}^q}{\partial x_2} - \rho_q \frac{\partial^2 u_q}{\partial t^2} = 0, \qquad q = 1, 2, 3, \tag{1}$$

with

$$\sigma_{i3}^q = \mu_q \frac{\partial u_q}{\partial x_i}, \quad i = 1, 2, \tag{2}$$

where  $\sigma_{i3}^q$  are shear stresses,  $u_q = u_q(x_1, x_2, t)$  are out of plane displacements, t is time,  $\mu_q$  are Lamé parameters, and  $\rho_q$  are mass densities. As we have already mentioned,  $\mu_3 = \mu_1$  and  $\rho_3 = \rho_1$ .



Fig. 1: A three-layered asymmetric plate

The continuity and boundary conditions at the upper and lower faces are given by

$$u_1 = u_2, \quad \sigma_{23}^1 = \sigma_{23}^2 \quad \text{at} \quad x_2 = \frac{h_2}{2},$$
  
 $u_2 = u_3, \quad \sigma_{23}^2 = \sigma_{23}^3 \quad \text{at} \quad x_2 = -\frac{h_2}{2},$ 
(3)

and

$$\sigma_{23}^{1} = F_{1} \quad \text{at} \quad x_{2} = \frac{h_{2}}{2} + h_{1},$$

$$\sigma_{23}^{3} = F_{3} \quad \text{at} \quad x_{2} = -\frac{h_{2}}{2} - h_{3},$$
(4)

respectively. Here  ${\cal F}_1$  and  ${\cal F}_3$  are prescribed forces.

Let us seek the solution of the formulated problem (1)-(4) in the form of a travelling wave  $e^{i(kx_1-\omega t)}$ , where k is the wave number and  $\omega$  is frequency. For a homogeneous problem  $F_1 = F_3 = 0$ , this results in the dispersion relation

$$\mu\alpha_1 \left( \tanh(h_{12}\alpha_1) + \tanh(h_{32}\alpha_1) \right) + \mu^2 \alpha_2 \tanh(\alpha_2) + \\ + \alpha_1^2 \tanh(h_{12}\alpha_1) \tanh(h_{32}\alpha_1) \frac{\tanh(\alpha_2)}{\alpha_2} = 0,$$
<sup>(5)</sup>

where

$$\alpha_1 = \sqrt{K^2 - \frac{\mu}{\rho}\Omega^2}, \qquad \alpha_2 = \sqrt{K^2 - \Omega^2}$$

and

$$K = kh_2, \quad \Omega = \frac{\omega h_2}{c_{22}}, \quad \mu = \frac{\mu_2}{\mu_1}, \quad \rho = \frac{\rho_2}{\rho_1}, \quad h_{12} = \frac{h_1}{h_2}, \quad h_{32} = \frac{h_3}{h_2},$$

with  $c_{22} = \sqrt{\mu_2/\rho_2}$ .

Consider the contrast in the material parameters corresponding to stiff outer layers and a relatively soft core one, defined as

$$\mu \ll 1, \quad \rho \sim \mu, \quad h_{12} \sim 1, \quad h_{32} \sim 1.$$
 (6)

This formula drastically simplifies further analysis due to the reduction of the number of the problem parameters. To certain extent it might be adapted for laminated glass [42] and also seemingly holds for sandwich panels with several types of magnetorheological cores [2,43].

First, setting K = 0 in dispersion relation (5), we have for the cut-off frequencies

$$\sqrt{\mu\rho} \left( \tan\left(h_{12}\sqrt{\frac{\mu}{\rho}}\Omega\right) + \tan\left(h_{32}\sqrt{\frac{\mu}{\rho}}\Omega\right) \right) + \mu\rho\tan\left(\Omega\right) - \tan\left(h_{12}\sqrt{\frac{\mu}{\rho}}\Omega\right) \tan\left(h_{32}\sqrt{\frac{\mu}{\rho}}\Omega\right) \tan\left(\Omega\right) = 0.$$
(7)

For this type of contrast, we have two cut-off frequencies over the low-frequency range of interest ( $\Omega \ll 1$ ), namely,  $\Omega = 0$  and the extra small one

$$\Omega^2 = \Omega_{sh}^2 \approx \frac{h_{12} + h_{32}}{h_{12}h_{32}} \rho \sim \mu \ll 1.$$
(8)

Next, setting  $\Omega = 0$ , we deduce from (5) the static equation for K

$$K^{2} \Big( \mu \big( \tanh(h_{12}K) + \tanh(h_{32}K) \big) + \mu^{2} \tanh(\alpha_{2}) + \\ + \tanh(h_{12}K) \tanh(h_{32}K) \tanh(K) \Big) = 0.$$
(9)

We have an obvious root K = 0, associated with rigid body motion and another small one, given by

$$K^2 = K_{bl}^2 \approx -\frac{h_{12} + h_{32}}{h_{12}h_{32}}\mu,\tag{10}$$

The latter is associated with slowly decaying boundary layers  $(|K_{bl}^2| \sim \mu \ll 1)$  specific of high contrast laminates only, e.g. see [40].

Fig. 2 demonstrates dispersion curves for two sets of material parameters. In particular, Fig. 2 (a) is plotted for a laminate without contrast, while Fig. 2 (b) corresponds to a laminate with high contrast in material properties of the layers. The values of  $\Omega_{sh}$  and  $K_{bl}$  are calculated using (8) and (10), respectively, for each set of parameters. It can easily be observed that for the laminate with no contrast these values are of order 1, while for a high-contrast laminate they become small.



Fig. 2: Numerical solution of dispersion relation (5) for  $h_{12} = 1.0$ ,  $h_{32} = 1.5$  and (a)  $\mu = 1.0$  and  $\rho = 2.0$ , (b)  $\mu = 0.01$  and  $\rho = 0.02$ .

#### 3 Asymptotic analysis of dispersion relation

Expand all trigonometric functions in (5) in asymptotic Taylor series over the low-frequency long-wave range ( $\Omega \ll 1$  and  $K \ll 1$ ) assuming that relations (6) hold. We arrive at a polynomial dispersion relation, which can be written as

$$\gamma_1 K^2 + \gamma_2 \Omega^2 + \gamma_3 K^4 + \gamma_4 K^2 \Omega^2 + \gamma_5 \Omega^4 + \gamma_6 K^6 + \gamma_7 K^4 \Omega^2 + \gamma_8 K^2 \Omega^4 + \gamma_9 \Omega^6 + \dots = 0,$$
(11)

where the coefficients  $\gamma_i$  are given in Appendix 1.

From (68) we observe that  $\gamma_1 \sim \gamma_2 \sim \mu$ , and  $\gamma_i \sim 1$ ,  $i = 3, \ldots, 9$ . As a result, the leading order two-mode approximation takes the form

$$\gamma_1^0 K^2 + \gamma_2^0 \Omega^2 + \gamma_3^0 K^4 + \gamma_4^0 K^2 \Omega^2 + \gamma_5^0 \Omega^4 = 0$$

It can be also factorised as

$$\left(K^{2}\rho_{0}-\Omega^{2}\right)\left\{h_{12}h_{32}\left(K^{2}\rho_{0}-\Omega^{2}\right)+\mu\rho_{0}(h_{12}+h_{32})\right\}=0.$$
 (12)

Fig. 3 demonstrates a good agreement between two exact dispersion curves calculated from transcendental relation (5) and polynomial approximation (12) for the chosen set of parameters. In this figure  $\Omega_{sh} \approx 0.18$  and  $|K_{bl}| \approx 0.13$ , according to asymptotic formulae (8) and (10), respectively.

For the fundamental non-dispersive mode and the first harmonic we have

$$\Omega^2 = \rho_0 K^2 \tag{13}$$

and

$$\Omega^2 = \frac{\rho_0}{h_{12}h_{32}} \left\{ \mu(h_{12} + h_{32}) + h_{12}h_{32}K^2 \right\},\tag{14}$$

respectively. It is worth mentioning that approximation (13) is valid at least over the whole range  $K \sim \Omega \ll 1$ . We also note that if K = 0 in (14) then we arrive at the expression for the cut-off frequency (8), which is of order  $\sqrt{\mu}$ . Alternatively, setting  $\Omega = 0$  in this equation, we get (10) for K. Hence, asymptotic formula (14) is valid for both quasi-static ( $\Omega \ll \sqrt{\mu}$ ) and near cut-off ( $\Omega \sim K \sim \sqrt{\mu}$ ) behaviour. Moreover, at  $\sqrt{\mu} \ll K \ll 1$  it coincides at leading order with (13).



Fig. 3: Numerical solution of dispersion relation (5)(solid line) together with asymptotic expansions (12) (dashed line) for  $h_{12} = 1.0$ ,  $h_{32} = 1.5$ ,  $\mu = 0.01$  and  $\rho = 0.02$ .

## 4 Derivation of 1D equations of motion

Introduce local dimensionless thickness variables  $\xi_{2i}$ , i = 1, 2, 3 in such a way that they change from 0 to 1 across each layer

$$\xi_{21} = \frac{1}{h_1} \left( x_2 - \frac{h_2}{2} \right), \qquad \qquad \frac{h_2}{2} < x_2 < \frac{h_2}{2} + h_1, \\ \xi_{22} = \frac{1}{h_2} \left( x_2 + \frac{h_2}{2} \right), \qquad \qquad -\frac{h_2}{2} < x_2 < \frac{h_2}{2}, \tag{15}$$
$$\xi_{23} = \frac{1}{h_3} \left( x_2 + \frac{h_2}{2} + h_3 \right), \qquad \qquad -h_3 - \frac{h_2}{2} < x_2 < -\frac{h_2}{2}.$$

From (13)  $\Omega \sim K$ . At the same time, (14) implies that  $\Omega \sim K \sim \sqrt{\mu}$ . In the latter case both (13) and (14) are valid. Motivated by this observation, we introduce the scaling

$$x_1 = \frac{h_2}{\sqrt{\mu}} \xi_1, \qquad t = \frac{h_2}{c_{22}\sqrt{\mu}} \tau.$$
 (16)

Then, the displacements and stresses can be normalised as

$$u_q = h_2 v^q, \qquad \sigma_{13}^q = \mu_q \sqrt{\mu} S_{13}^q, \qquad \sigma_{23}^q = \mu_2 S_{23}^q, \quad q = 1, 2, 3.$$
 (17)

The dimensionless form of the equations in the previous section for layers 1 and 3 (q = 1, 3) can be written as

$$h_{q2}\frac{\partial S_{13}^{q}}{\partial \xi_{1}} + \frac{\partial S_{23}^{q}}{\partial \xi_{2q}} - \frac{h_{q2}}{\rho_{0}}\frac{\partial^{2} v^{q}}{\partial \tau^{2}} = 0,$$
(18)

$$S_{13}^q = \frac{\partial v^q}{\partial \xi_1},\tag{19}$$

$$\mu h_{q2} S_{23}^q = \frac{\partial v^q}{\partial \xi_{2q}},\tag{20}$$

while for layer 2 we get

$$\mu \frac{\partial S_{13}^2}{\partial \xi_1} + \frac{\partial S_{23}^2}{\partial \xi_{22}} - \mu \frac{\partial^2 v^2}{\partial \tau^2} = 0, \qquad (21)$$

$$S_{13}^2 = \frac{\partial v^2}{\partial \xi_1},\tag{22}$$

$$S_{23}^2 = \frac{\partial v^2}{\partial \xi_{22}}.$$
(23)

The continuity and boundary conditions become, respectively

$$\begin{aligned} v^{1}|_{\xi_{21}=0} &= v^{2}|_{\xi_{22}=1}, \qquad v^{2}|_{\xi_{22}=0} &= v^{3}|_{\xi_{23}=1}, \\ S^{1}_{23}|_{\xi_{21}=0} &= S^{2}_{23}|_{\xi_{22}=1}, \qquad S^{2}_{23}|_{\xi_{22}=0} &= S^{3}_{23}|_{\xi_{23}=1}, \end{aligned}$$
(24)

and

$$S_{23}^{1}\big|_{\xi_{21}=1} = \frac{F_{1}}{\mu_{2}} = f_{1}(\xi_{1},\tau), \qquad S_{23}^{3}\big|_{\xi_{23}=0} = \frac{F_{3}}{\mu_{2}} = f_{3}(\xi_{1},\tau).$$
(25)

Now expand displacements and stresses into asymptotic series in small parameter  $\mu$ 

$$v^{q} = v_{0}^{q} + \mu v_{1}^{q} + \dots,$$
  

$$S_{j3}^{q} = S_{j3,0}^{q} + \mu S_{j3,1}^{q} + \dots, \quad q = 1, 2, 3; \quad j = 1, 2.$$
(26)

At leading order we have for q = 1, 3

$$h_{q2}\frac{\partial S_{13,0}^q}{\partial \xi_1} + \frac{\partial S_{23,0}^q}{\partial \xi_{2q}} - \frac{h_{q2}}{\rho_0}\frac{\partial^2 v_0^q}{\partial \tau^2} = 0,$$
(27)

$$S_{13,0}^q = \frac{\partial v_0^q}{\partial \xi_1},\tag{28}$$

$$\frac{\partial v_0^q}{\partial \xi_{2q}} = 0, \tag{29}$$

and for q = 2

$$\frac{\partial S_{23,0}^2}{\partial \xi_{22}} = 0, \quad S_{13,0}^2 = \frac{\partial v_0^2}{\partial \xi_1}, \quad S_{23,0}^2 = \frac{\partial v_0^2}{\partial \xi_{22}}.$$
 (30)

Continuity relations (24) together with boundary conditions (25) become

$$v_0^1|_{\xi_{21}=0} = v_0^2|_{\xi_{22}=1}, \qquad v_0^2|_{\xi_{22}=0} = v_0^3|_{\xi_{23}=1}, \tag{31}$$

$$S_{23,0}^{1}|_{\xi_{21}=0} = S_{23,0}^{2}|_{\xi_{22}=1}, \qquad S_{23,0}^{2}|_{\xi_{22}=0} = S_{23,0}^{3}|_{\xi_{23}=1}, \qquad (32)$$
  
$$S_{23,0}^{1}|_{\xi_{24}=1} = f_{1}, \qquad S_{23,0}^{3}|_{\xi_{22}=0} = f_{3}. \qquad (33)$$

$$S_{23,0}^{1}|_{\xi_{21}=1} = f_{1}, \qquad S_{23,0}^{3}|_{\xi_{23}=0} = f_{3}.$$
(33)

Next, we derive

$$v_0^1 = w_1(\xi_1, \tau), \quad v_0^3 = w_3(\xi_1, \tau), \quad v_0^2 = w_2\xi_{22} + w_3,$$

where

$$w_2 = w_1 - w_3,$$

resulting in equations

$$w_{2} = f_{1} + h_{12} \left( \frac{\partial^{2} w_{1}}{\partial \xi_{1}^{2}} - \frac{1}{\rho_{0}} \frac{\partial^{2} w_{1}}{\partial \tau^{2}} \right),$$
  

$$w_{2} = f_{3} - h_{32} \left( \frac{\partial^{2} w_{3}}{\partial \xi_{1}^{2}} - \frac{1}{\rho_{0}} \frac{\partial^{2} w_{3}}{\partial \tau^{2}} \right).$$
(34)

Using above, we can derive an equation for  $w_q, q = 1, 3$ 

$$\left(\rho_0 \frac{\partial^2 w_q}{\partial \xi_1^2} - \frac{\partial^2 w_q}{\partial \tau^2}\right) \left(\rho_0 (h_{12} + h_{32}) w_q - h_{12} h_{32} \left(\rho_0 \frac{\partial^2 w_q}{\partial \xi_1^2} - \frac{\partial^2 w_q}{\partial \tau^2}\right)\right) = 0,$$
(35)

which supports the same dispersion relation as (12) as might be expected.

In terms of stresses we can derive equations

$$S_{23,0}^{2} = f_{1} + h_{12} \left( \frac{\partial S_{13,0}^{1}}{\partial \xi_{1}} - \frac{1}{\rho_{0}} \frac{\partial^{2} w_{1}}{\partial \tau^{2}} \right),$$

$$S_{23,0}^{2} = f_{3} - h_{32} \left( \frac{\partial S_{13,0}^{3}}{\partial \xi_{1}} - \frac{1}{\rho_{0}} \frac{\partial^{2} w_{3}}{\partial \tau^{2}} \right),$$
(36)

where

$$S_{13,0}^q = \frac{\partial w_q}{\partial \xi_1}, \quad q = 1, 3, \tag{37}$$

$$S_{23,0}^2 = w_2. (38)$$

Thus,

$$\frac{\partial S_{13,0}^2}{\partial \xi_{22}} = S_{13,0}^1 - S_{13,0}^3. \tag{39}$$

In what follows we also need the equations

$$\frac{\partial}{\partial\xi_1} \left( h_{12} S_{13,0}^1 + h_{32} S_{13,0}^3 \right) - \frac{1}{\rho_0} \frac{\partial^2}{\partial\tau^2} \left( h_{12} w_1 + h_{32} w_3 \right) = f_3 - f_1, 
\frac{\partial^2 S_{13,0}^2}{\partial\xi_1 \partial\xi_{22}} - \left( \frac{1}{h_{12}} + \frac{1}{h_{32}} \right) S_{23,0}^2 - \frac{1}{\rho_0} \frac{\partial^2 w_2}{\partial\tau^2} = -\frac{f_3}{h_{32}} - \frac{f_1}{h_{12}},$$
(40)

obtained as a linear combination of the equations in (36). Here, the first equation corresponds to the outer stiff layers, while the second one governs the motion of the soft middle layer.

## 5 Equations of motion in stress resultants and stress couples

As usual for thin plates and shells [21], [33], we define, starting from (17) and (26)

$$N = \int_{h_2/2}^{h_2/2+h_1} \sigma_{13}^1 dx_2 + \int_{-h_2/2-h_3}^{-h_2/2} \sigma_{13}^3 dx_2$$
  

$$\approx \mu_1 \sqrt{\mu} \left( h_1 S_{13,0}^1 + h_3 S_{13,0}^3 \right),$$
  

$$T = \int_{-h_2/2}^{h_2/2} \sigma_{23}^2 dx_2 \approx h_2 \mu_2 S_{23,0}^2,$$
  

$$G = \int_{-h_2/2}^{h_2/2} \sigma_{13}^2 x_2 dx_2 \approx \mu_2 \sqrt{\mu} h_2^2 \int_0^1 S_{13,0}^2 \left( \xi_{22} - \frac{1}{2} \right) d\xi_{22}$$
  

$$= \frac{\mu_2 \sqrt{\mu} h_2^2}{12} \frac{\partial S_{13,0}^2}{\partial \xi_{22}},$$
(41)

where stress resultant N corresponds to stiff layers, while the stress resultant T and stress couple G are associated with the soft layer. Introducing the average displacement U and the angle of rotation  $\phi$  as

$$U = \frac{h_1 u_1 + h_3 u_3}{h_1 + h_3} \approx \frac{h_2 (h_1 w_1 + h_3 w_3)}{h_1 + h_3}, \qquad \phi = \frac{u_1 - u_3}{h_2} \approx w_2, \qquad (42)$$

we can re-write above equations (40) in terms of integral quantities defined in (41) and (42)

$$\frac{\partial N}{\partial x_1} - \rho_1 (h_1 + h_3) \frac{\partial^2 U}{\partial t^2} = F_3 - F_1,$$

$$\frac{12}{h_2 \mu} \frac{\partial G}{\partial x_1} - \left(\frac{1}{h_1} + \frac{1}{h_3}\right) T - \rho_1 h_2^2 \frac{\partial^2 \phi}{\partial t^2} = -h_2 \left(\frac{F_3}{h_3} + \frac{F_1}{h_1}\right).$$
(43)

Forces T, N and G at leading order can be expressed in terms of U and  $\phi$  as

$$T = h_2 \mu_2 \phi,$$
  

$$N = \mu_1 (h_1 + h_3) \frac{\partial U}{\partial x_1},$$
  

$$G = \frac{\mu_2 h_2^3}{12} \frac{\partial \phi}{\partial x_1}.$$
  
(44)

Finally, equations (43) can be presented as

$$\mu_{1}(h_{1}+h_{3})\frac{\partial^{2}U}{\partial x_{1}^{2}} - \rho_{1}(h_{1}+h_{3})\frac{\partial^{2}U}{\partial t^{2}} = F_{3} - F_{1},$$

$$\mu_{1}h_{2}\frac{\partial^{2}\phi}{\partial x_{1}^{2}} - \mu_{2}\left(\frac{1}{h_{1}}+\frac{1}{h_{3}}\right)\phi - \rho_{1}h_{2}\frac{\partial^{2}\phi}{\partial t^{2}} = -\left(\frac{F_{3}}{h_{3}}+\frac{F_{1}}{h_{1}}\right).$$
(45)

### 6 Derivation of boundary conditions

First consider static equilibrium of a semi-infinite three-layered strip  $(0 \leq x_1 < +\infty, -h_3 - h_2/2 \leq x_2 \leq h_2/2 + h_1)$  with the geometrical and mechanical properties specified in Section 2. Let the strip faces are traction free, while its left edge  $x_1 = 0$  is subject to prescribed stress  $p(x_2)$ 

$$\sigma_{13}^{q}\big|_{x_1=0} = p(x_2), \qquad q = 1, 2, 3.$$
(46)

Our goal is to find the so-called decay conditions on the function p when

$$\sigma_{13}^{q}\big|_{x_1=+\infty} = 0, \quad q = 1, 2, 3.$$
(47)

Moreover, we require the related boundary layer to be localised over the narrow vicinity of the edge of width h ( $h \sim h_1 \sim h_2 \sim h_3$ ), which does not depend on the small contrast parameter  $\mu$ , defined above. Thus, we assume

$$\frac{\partial}{\partial x_1} \sim \frac{\partial}{\partial x_2} \sim \frac{1}{h}.$$
(48)

Let us start from the static counterpart of the equations (1), i.e.

$$\frac{\partial \sigma_{13}^q}{\partial x_1} + \frac{\partial \sigma_{23}^q}{\partial x_2} = 0, \qquad q = 1, 2, 3, \tag{49}$$

subject to homogeneous boundary conditions along the faces (4), setting  $F_1 = F_3 = 0$  and continuity conditions (3), together with (46) and (47). Integrating the equation of motion for the upper layer (q = 1) over the domain  $0 \le x_1 < +\infty$  and  $h_2 \le x_2 \le h_2 + h_1$  and applying the aforementioned continuity and boundary conditions, we obtain

$$\int_{0}^{+\infty} \int_{h_{2}/2}^{h_{2}/2+h_{1}} \left( \frac{\partial \sigma_{13}^{1}}{\partial x_{1}} + \frac{\partial \sigma_{23}^{1}}{\partial x_{2}} \right) dx_{1} dx_{2} =$$

$$\int_{h_{2}/2}^{h_{2}/2+h_{1}} \sigma_{13}^{1} \Big|_{x_{1}=0}^{+\infty} dx_{2} + \int_{0}^{+\infty} \sigma_{23}^{1} \Big|_{x_{2}=h_{2}/2}^{h_{2}/2+h_{1}} dx_{1} =$$

$$- \int_{h_{2}/2}^{h_{2}/2+h_{1}} p(x_{2}) dx_{2} - \int_{0}^{+\infty} \sigma_{23}^{1} \Big|_{x_{2}=h_{2}/2}^{2} dx_{1} = 0.$$
(50)

Hence,

$$\int_{0}^{+\infty} \sigma_{23}^{1} \Big|_{x_2 = h_2/2} dx_1 = -\int_{h_2/2}^{h_2/2+h_1} p(x_2) dx_2 \tag{51}$$

Similarly, for the bottom layer (q = 3) we derive

$$\int_{0}^{+\infty} \int_{-h_{2}/2-h_{3}}^{-h_{2}/2} \left( \frac{\partial \sigma_{13}^{3}}{\partial x_{1}} + \frac{\partial \sigma_{23}^{3}}{\partial x_{2}} \right) dx_{1} dx_{2} = -\int_{-h_{2}/2-h_{3}}^{-h_{2}/2} p(x_{2}) dx_{2} + \int_{0}^{+\infty} \sigma_{23}^{3} \Big|_{x_{2}=-h_{2}/2} dx_{1} = 0,$$
(52)

therefore,

$$\int_{0}^{+\infty} \sigma_{23}^{3} \Big|_{x_{2}=-h_{2}/2} dx_{1} = \int_{-h_{2}/2-h_{3}}^{-h_{2}/2} p(x_{2}) dx_{2}.$$
(53)

For the middle layer (q = 2) we first integrate the associated equation of motion, resulting in

$$\int_{0}^{+\infty} \int_{-h_{2}/2}^{h_{2}/2} \left( \frac{\partial \sigma_{13}^{2}}{\partial x_{1}} + \frac{\partial \sigma_{23}^{2}}{\partial x_{2}} \right) dx_{1} dx_{2} = -\int_{-h_{2}/2}^{h_{2}/2} p(x_{2}) dx_{2} + \int_{0}^{+\infty} \sigma_{23}^{2} \Big|_{x_{2}=h_{2}/2} dx_{1} - \int_{0}^{+\infty} \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2} dx_{1} = 0.$$
(54)

Now, we substitute (51) and (53) into the latter, taking into account the continuity conditions. As might be expected, the following exact result corresponds to the conventional decay condition, expressing the classical formulation of the Saint-Venant principle. It manifests self-equilibrium of the external load and is given by

$$\int_{-h_2/2-h_3}^{h_2/2+h_1} p(x_2) dx_2 = 0.$$
(55)

Next, we multiply the equation of motion for the middle layer by  $x_2$  and integrate again over its area. We obtain

$$\begin{split} \int_{0}^{+\infty} \int_{-h_{2}/2}^{h_{2}/2} x_{2} \left( \frac{\partial \sigma_{13}^{2}}{\partial x_{1}} + \frac{\partial \sigma_{23}^{2}}{\partial x_{2}} \right) dx_{1} dx_{2} = \\ \int_{-h_{2}/2}^{h_{2}/2} x_{2} \sigma_{13}^{2} \Big|_{x_{1}=0}^{+\infty} dx_{2} + \int_{0}^{+\infty} \int_{-h_{2}/2}^{h_{2}/2} x_{2} \frac{\partial \sigma_{23}^{2}}{\partial x_{2}} dx_{1} dx_{2} = \\ - \int_{-h_{2}/2}^{h_{2}/2} x_{2} p(x_{2}) dx_{2} + \int_{0}^{+\infty} \left( x_{2} \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2}^{h_{2}/2} - \int_{-h_{2}/2}^{h_{2}/2} \sigma_{23}^{2} dx_{2} \right) dx_{1} = \\ - \int_{-h_{2}/2}^{h_{2}/2} x_{2} p(x_{2}) dx_{2} + \frac{h_{2}}{2} \int_{0}^{+\infty} \left( \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2}^{2} + \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2} \right) dx_{1} \\ - \int_{-h_{2}/2}^{h_{2}/2} x_{2} p(x_{2}) dx_{2} + \frac{h_{2}}{2} \int_{0}^{+\infty} \left( \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2}^{2} + \sigma_{23}^{2} \Big|_{x_{2}=-h_{2}/2} \right) dx_{1} = 0, \end{split}$$

$$(56)$$

where we have neglected the asymptotically small  $O(\mu)$  term

$$\int_{0}^{+\infty} \int_{-h_2/2}^{h_2/2} \sigma_{23}^2 dx_2 dx_1 = \mu_2 \int_{0}^{+\infty} u_2 \Big|_{x_2 = -h_2/2}^{h_2/2} dx_1 \sim \mu.$$
(57)

This is due to the effect of contrast, resulting in a sort of squeezing of the softer middle layer by the stiff outer layers. In fact, we may readily deduce that in the last formula  $\sigma_{23}^2 \sim p$  while  $u_2(x_1, h_2/2) = u_1(x_1, h_2/2) \sim \frac{h\sigma_{23}^2}{\mu_1} \sim \frac{hp}{\mu_1}$  and  $u_2(x_1, -h_2/2) = u_3(x_1, -h_2/2) \sim \frac{h\sigma_{23}^3}{\mu_1} \sim \frac{hp}{\mu_1}$ . These asymptotic estimations follow from the aforementioned condition on the boundary layer given by (48). Next, substituting (51) and (53) into (54) we obtain the second decay condition on the prescribed edge load p

$$\int_{-h_2/2}^{h_2/2} x_2 p(x_2) dx_2 + \frac{h_2}{2} \int_{h_2/2}^{h_2/2+h_1} p(x_2) dx_2 - \frac{h_2}{2} \int_{-h_2/2-h_3}^{-h_2/2} p(x_2) dx_2 = 0,$$
(58)

which is, in contrast with the first "exact" condition (55), is of an asymptotic nature and holds only for high contrast laminates. At  $h_1 = h_3$  and  $p(-x_2) = -p(x_2)$  the last formula reduces to decay conditions (88) derived in the Appendix 2 using Laplace transform technique.

It can be easily shown, see e.g. [39], that obtained decay conditions (55) and (58) are also valid at leading order for the low-frequency setup considered in the paper  $(\partial/\partial t \ll h\sqrt{\rho_k/\mu_k}, k = 1, 2)$ . Let us then adopt the latter for deriving the leading order boundary conditions at the edge  $x_1 = 0$  of the

laminate governed by formulae (1)-(4), subject to an arbitrary low-frequency loading  $P(x_2, t)$ , i.e.

$$\sigma_{13}^{q}\big|_{x_{1}=0} = P(x_{2}, t), \quad q = 1, 2, 3.$$
(59)

It is obvious that the function  $P(x_2, t)$  is not assumed to satisfy two decay conditions above in contrast to the function  $p(x_2)$ .

As usual, see [19,37,41] for greater detail, insert the discrepancy of the prescribed edge load P and stresses  $\sigma_{13}^q$ , resulting from the equations of motion established in Section 5, into the decay conditions. Neglecting asymptotically secondary stress  $\sigma_{13}^2$ , see formula (17), we set in (55) and (58)

$$p = P - \sigma_{13}^1, \qquad \qquad \frac{h_2}{2} < x_2 < \frac{h_2}{2} + h_1, \qquad (60)$$

$$p = P,$$
  $-\frac{h_2}{2} < x_2 < \frac{h_2}{2},$  (61)

$$p = P - \sigma_{13}^3, \qquad -h_3 - \frac{h_2}{2} < x_2 < -\frac{h_2}{2}, \qquad (62)$$

having

$$\int_{h_2/2}^{h_2/2+h_1} (P - \sigma_{13}^1) dx_2 + \int_{-h_2/2}^{h_2/2} P dx_2 + \int_{-h_3-h_2/2}^{-h_2/2} (P - \sigma_{13}^3) dx_2 = 0, \quad (63)$$

and

$$\int_{-h_2/2}^{h_2/2} x_2 P dx_2 + \frac{h_2}{2} \int_{h_2/2}^{h_2/2+h_1} (P - \sigma_{13}^1) dx_2 - \frac{h_2}{2} \int_{-h_2/2-h_3}^{-h_2/2} (P - \sigma_{13}^3) dx_2 = 0,$$
(64)

Finally, expressing  $\sigma_{13}^1$  and  $\sigma_{13}^3$  in (63) through N by formulae (41), first boundary condition becomes

$$N = \int_{-h_3 - h_2/2}^{h_2/2 + h_1} P dx_2.$$
(65)

Similarly, expressing second condition (64) through approximate formulae for N and G together with equation (39), we obtain

$$\int_{-h_2/2}^{h_2/2} x_2 P dx_2 + \frac{h_2}{2} \int_{h_2/2}^{h_2/2+h_1} P dx_2 - \frac{h_2}{2} \int_{-h_2/2-h_3}^{-h_2/2} P dx_2 - \frac{h_2}{2} \left( \frac{h_1 - h_3}{h_1 + h_3} N + \frac{24h_1h_3}{\mu h_2^2(h_1 + h_3)} G \right) = 0.$$
(66)

Finally, using (65) we arrive at the second boundary condition

$$G = \frac{\mu h_2^2 (h_1 + h_3)}{24h_1 h_3} \left( \frac{2}{h_2} \int_{-h_2/2}^{h_2/2} x_2 P dx_2 + \int_{h_2/2}^{h_2/2+h_1} P dx_2 - \int_{-h_2/2-h_3}^{-h_2/2} P dx_2 - \frac{h_1 - h_3}{h_1 + h_3} \int_{-h_2/2-h_3}^{h_2/2+h_1} P dx_2 \right).$$
(67)

Derived boundary conditions (65) and (67) correspond to the first and second equations in (43), respectively. They can be also expressed through the average displacement U and the angle of rotation  $\phi$  using (44).

#### 7 Concluding remarks

The consideration in the paper is seemingly the optimal toy scalar problem for elucidating the effect of high contrast. In spite asymmetry of the laminate, the leading order shortened equations governing the fundamental mode and the low-frequency harmonic, (13) and (14), are not coupled. The findings in the paper facilitate asymptotic analysis of various more sophisticated formulations for strongly inhomogeneous thin structures, including vector problems for multi-layered laminates with a variety of contrast types.

It is demonstrated that the harmonic of interest describes both a static (and quasi-static) slow decay and near cut-off long wave propagation, see (14). In this case the associated 'weak' boundary layer, observed earlier in statics of high-contrast laminates, e.g. see [40], can be naturally embedded into the low-dimensional theory for the interior domain, see the second 1D equation in (43).

For the first time, asymptotically justified boundary conditions (65) and (67) are established using the Saint-Venant principle adapted for a high-contrast laminate. It is remarkable that the extra approximate decay condition (58) isn't directly related to the overall equilibrium as the conventional 'exact' decay condition (55).

# Appendix 1

Coefficients  $\gamma_i$  in (11) are given by

$$\begin{split} \gamma_{1} &= \mu \left( h_{12} + h_{32} + \mu \right), \\ \gamma_{2} &= -\frac{\mu^{2}}{\rho} \left( h_{12} + h_{32} + \rho \right), \\ \gamma_{3} &= h_{12}h_{32} - \frac{\mu}{3} \left( h_{12}^{3} + h_{32}^{3} + \mu \right), \\ \gamma_{4} &= \frac{2\mu}{3\rho} \left( h_{12}^{3} \mu + h_{32}^{3} \mu - 3h_{12}h_{32} + \mu \rho \right), \\ \gamma_{5} &= -\frac{\mu^{2}}{3\rho^{2}} \left( h_{12}^{3} \mu + h_{32}^{3} \mu - 3h_{12}h_{32} + \rho^{2} \right), \\ \gamma_{6} &= \frac{2\mu}{15} \left( h_{12}^{5} + h_{32}^{5} + \mu \right) - \frac{h_{12}h_{32}}{3} \left( h_{12}^{2} + h_{32}^{2} + 1 \right), \\ \gamma_{7} &= -\frac{1}{15\rho} \left( 6\mu^{2} \left( h_{12}^{5} + h_{32}^{5} + \rho \right) - 5h_{12}h_{32} \left( 3h_{12}^{2} \mu + 3h_{32}^{2} \mu + 2\mu + \rho \right) \right), \\ \gamma_{8} &= \frac{\mu}{15\rho^{2}} \left( 6\mu \left( h_{12}^{5} \mu + h_{32}^{5} \mu + \rho^{2} \right) - 5h_{12}h_{32} \left( 3h_{12}^{2} \mu + 3h_{32}^{2} \mu + \mu + 2\rho \right) \right), \\ \gamma_{9} &= -\frac{\mu^{2}}{15\rho^{3}} \left( 2 \left( h_{12}^{5} \mu^{2} + h_{32}^{5} \mu^{2} + \rho^{3} \right) - 5h_{12}h_{32} \left( h_{12}^{2} \mu + h_{32}^{2} \mu + \rho \right) \right). \end{split}$$

At leading order coefficients  $\gamma_i$  are given below

$$\begin{split} \gamma_{1}^{0} &= \left(h_{12} + h_{32}\right)\mu, \\ \gamma_{2}^{0} &= -\frac{h_{12} + h_{32}}{\rho_{0}}\mu, \\ \gamma_{3}^{0} &= h_{12}h_{32}, \\ \gamma_{4}^{0} &= -\frac{2h_{12}h_{32}}{\rho_{0}}, \\ \gamma_{5}^{0} &= \frac{h_{12}h_{32}}{\rho_{0}^{2}}, \\ \gamma_{6}^{0} &= -\frac{h_{12}h_{32}}{3}\left(h_{12}^{2} + h_{32}^{2} + 1\right), \\ \gamma_{7}^{0} &= \frac{h_{12}h_{32}}{3\rho_{0}}\left(3h_{12}^{2} + 3h_{32}^{2} + \rho_{0} + 2\right), \\ \gamma_{8}^{0} &= -\frac{h_{12}h_{32}}{3\rho_{0}^{2}}\left(3h_{12}^{2} + 3h_{32}^{2} + 2\rho_{0} + 1\right), \\ \gamma_{9}^{0} &= \frac{h_{12}h_{32}}{3\rho_{0}^{3}}\left(h_{12}^{2} + h_{32}^{2} + \rho_{0}\right), \end{split}$$
(68)

where  $\rho_0 = \rho/\mu$  .

## Appendix 2

Let us find decay conditions for a symmetric three-layered plate  $(h_1 = h_3)$  with traction free faces using Laplace transform technique. We restrict ourselves with the motion for which the displacements of the laminate are odd functions in  $x_2$ , i.e.  $u_2(x_1, -x_2) = -u_2(x_1, x_2)$ ,  $u_3(x_1, -x_2) = u_1(x_1, x_2)$ . Let functions  $U_q(s, x_2)$  denote Laplace transform of displacements  $u_q$ , q = 1, 2, 3, i.e.

$$U_q(s, x_2) = \int_0^\infty u_q(x_1, x_2) e^{-sx_1} dx_1,$$
(69)

where s is Laplace transform parameter. Transforming equilibrium equations (49), we get

$$\frac{\partial^2 U_q}{\partial x_2^2} + s^2 U_q = R_q,\tag{70}$$

where  $R_q(s, x_2)$  are defined through

$$R_q(s, x_2) = su_q \Big|_{x_1=0} + \frac{\partial u_q}{\partial x_1} \Big|_{x_1=0} = su_q \Big|_{x_1=0} + \frac{p(x_2)}{\mu_q}.$$
 (71)

Solving equations (70) for odd displacements we have

$$U_1 = A_1(s)\sin sx_2 + A_2(s)\cos sx_2 + \frac{1}{s}\int_0^{x_2} R_1(s, x_2')\sin s(x_2 - x_2')dx_2', \quad (72)$$

and

$$U_2 = B_1(s)\sin sx_2 + \frac{1}{s}\int_0^{x_2} R_2(s, x_2')\sin s(x_2 - x_2')dx_2',$$
(73)

where unknown functions  $A_1$ ,  $A_2$  and  $B_1$  are determined from the transformed boundary and continuity conditions and given by

$$A_{1}(s) = D^{-1}(s) \left\{ -C_{1} \left( h_{1} + \frac{h_{2}}{2} \right) \left( \mu \cos^{2} \frac{sh_{2}}{2} + \sin^{2} \frac{sh_{2}}{2} \right) + \left( S_{2} \left( \frac{h_{2}}{2} \right) - S_{1} \left( \frac{h_{2}}{2} \right) \right) \mu \sin \left( sh_{1} + \frac{sh_{2}}{2} \right) \cos \frac{sh_{2}}{2}$$
(74)  
+  $\left( C_{1} \left( \frac{h_{2}}{2} \right) - \mu C_{2} \left( \frac{h_{2}}{2} \right) \right) \sin \left( sh_{1} + \frac{sh_{2}}{2} \right) \sin \frac{sh_{2}}{2} \right\},$   
$$A_{2}(s) = D^{-1}(s) \left\{ C_{1} \left( h_{1} + \frac{h_{2}}{2} \right) (\mu - 1) \sin \frac{sh_{2}}{2} \cos \frac{sh_{2}}{2} + \left( S_{2} \left( \frac{h_{2}}{2} \right) - S_{1} \left( \frac{h_{2}}{2} \right) \right) \mu \cos \left( sh_{1} + \frac{sh_{2}}{2} \right) \cos \frac{sh_{2}}{2}$$
(75)  
+  $\left( C_{1} \left( \frac{h_{2}}{2} \right) - \mu C_{2} \left( \frac{h_{2}}{2} \right) \right) \cos \left( sh_{1} + \frac{sh_{2}}{2} \right) \sin \frac{sh_{2}}{2} \right\},$ 

and

$$B_{1}(s) = D^{-1}(s) \left\{ -C_{1} \left( h_{1} + \frac{h_{2}}{2} \right) + \left( S_{2} \left( \frac{h_{2}}{2} \right) - S_{1} \left( \frac{h_{2}}{2} \right) \right) \sin sh_{1} + \left( C_{1} \left( \frac{h_{2}}{2} \right) - \mu C_{2} \left( \frac{h_{2}}{2} \right) \right) \cos sh_{1} \right\},$$
(76)

where

$$D(s) = s\left(\mu\cos sh_1\cos\frac{sh_2}{2} - \sin sh_1\sin\frac{sh_2}{2}\right),\tag{77}$$

and

$$C_q(s, x_2) = \int_0^{x_2} R_q(x_2') \cos s(x_2 - x_2') dx_2', \tag{78}$$

$$S_q(s, x_2) = \int_0^{x_2} R_q(x_2') \sin s(x_2 - x_2') dx_2', \quad q = 1, 2.$$
 (79)

The sought for displacements are expressed through Mellin integrals as

$$u_q(x_1, x_2) = \frac{1}{2\pi i} \int_{\delta - i\infty}^{\delta + i\infty} U(s, x_2) e^{sx_1} ds$$
(80)

for  $\delta > 0$ . These integrals can be found using the residue theory

$$u_q(x_1, x_2) = \sum_{n=0}^{\infty} \operatorname{Res}_{s_n} \{ U_q(s, x_2) e^{sx_1} \},$$
(81)

where only small poles  $s_n$ , corresponding to unwanted slow decay are of the concern, see also [38,39].

At  $\mu \ll 1$  and  $s \ll 1$  the leading order asymptotic behaviour of denominator (77) is given by

$$D(s) = -2s(h_1h_2s^2 - \mu), (82)$$

resulting in two small non-zero roots

$$s^{\pm} = \pm \sqrt{\frac{2\mu}{h_1 h_2}}.$$
 (83)

The associated residues are

$$\operatorname{Res}_{s^{\pm}} \left\{ U_{1}(s, x_{2})e^{sx_{1}} \right\} = \operatorname{Res}_{s^{\pm}} \left\{ D^{-1}(s) \left( A_{1}(s) \sin sx_{2} + A_{2}(s) \cos sx_{2} \right) e^{sx_{1}} \right\},$$
  
$$\operatorname{Res}_{s^{\pm}} \left\{ U_{2}(s, x_{2})e^{sx_{1}} \right\} = \operatorname{Res}_{s^{\pm}} \left\{ D^{-1}(s)B_{1}(s) \sin sx_{2}e^{sx_{1}} \right\},$$
  
$$(84)$$

where D(s) is defined in (82).

Expanding now the numerators in these relations at  $\mu \ll 1$  and  $s \sim \sqrt{\mu}$  and using the formula

$$R_2 = su_2\big|_{x_1=0} + \frac{p(x_2)}{\mu\mu_1},\tag{85}$$

we obtain at leading order

$$\operatorname{Res}_{s^{\pm}} = \pm \frac{\sqrt{2h_2}}{4\mu_1 \sqrt{h_1} \sqrt{\mu}} \left( \int_{h_2/2}^{h_2/2+h_1} p(x_2) dx_2 + \frac{2}{h_2} \int_0^{h_2/2} p(x_2) x_2 dx_2 \right), \quad (86)$$

and

$$\operatorname{Res}_{s^{\pm}} = \pm \frac{\sqrt{2}x_2}{2\mu_1\sqrt{h_1h_2}\sqrt{\mu}} \left( \int_{h_2/2}^{h_2/2+h_1} p(x_2)dx_2 + \frac{2}{h_2} \int_0^{h_2/2} p(x_2)x_2dx_2 \right),$$
(87)

for  $u_1$  and  $u_2$ , respectively.

These residues diminish at

$$\int_{h_2/2}^{h_2/2+h_1} p(x_2)dx_2 + \frac{2}{h_2} \int_0^{h_2/2} p(x_2)x_2dx_2 = 0,$$
(88)

ensuring strong decay of the boundary layer.

**Acknowledgements** The work was supported by the grant J2-9224 from the Slovenian Research Agency. M.Alkinidri acknowledges PhD Scholarship from Saudi Arabian Government.

#### References

- 1. J.N. Reddy, Mechanics of laminated composite plates and shells: theory and analysis (CRC press, 2003)
- 2. G.I. Mikhasev, H. Altenbach, Thin-walled Laminated Structures (Springer, 2019)
- 3. K. Liew, Z. Pan, L. Zhang, Composite Structures 216, 240 (2019)
- A. Maji, P.K. Mahato, Journal of Thermoplastic Composite Materials p. 0892705720930765 (2020)
- 5. D. Li, Archives of Computational Methods in Engineering pp. 1–24 (2020)
- A. Cazzani, M. Serra, F. Stochino, E. Turco, Continuum Mechanics and Thermodynamics 32(3), 665 (2020)
- 7. M. Dorduncu, Thin-Walled Structures 146, 106468 (2020)
- 8. A. Szekrényes, Archive of Applied Mechanics pp. 1-30 (2020)
- J. Rion, Y. Leterrier, J.A.E. Månson, J.M. Blairon, Composites Part A: Applied Science and Manufacturing 40(8), 1167 (2009)
- S.H. Schulze, M. Pander, K. Naumenko, H. Altenbach, International Journal of Solids and Structures 49(15-16), 2027 (2012)
- 11. C. Boutin, K. Viverge, S. Hans, Composites Part B: Engineering p. 108551 (2020)
- M. Ulizio, D. Lampman, M. Rustagi, J. Skeen, C. Walawender, SAE International Journal of Transportation Safety 5(1), 47 (2017)
- 13. J. Njuguna, Lightweight composite structures in transport: design, manufacturing, analysis and performance (Woodhead publishing, 2016)
- 14. J.M. Davies, Lightweight sandwich construction (John Wiley & Sons, 2008)
- 15. M. Weps, K. Naumenko, H. Altenbach, Composite Structures 105, 332 (2013)
- 16. E. Carrera, Applied Mechanics Reviews 56(3), 287 (2003)
- 17. A.S. Sayyad, Y.M. Ghugal, Composite Structures 129, 177 (2015)
- J. Eisenträger, K. Naumenko, H. Altenbach, H. Köppe, International Journal of Mechanical Sciences 96, 163 (2015)
- 19. A. Goldenveizer, Theory of thin elastic shells (in Russian) (Izdatel'stvo Nauka, 1976)
- A. Goldenveizer, J. Kaplunov, E. Nolde, International Journal of Solids and Structures 30(5), 675 (1993)

- J.D. Kaplunov, L.Y. Kossovich, E.V. Nolde, Dynamics of thin walled elastic bodies (Academic Press, 1998)
- 22. V. Berdichevsky, Variational principles of continuum mechanics: II. Applications (Springer-Verlag., 2009)
- L.A. Aghalovyan, Asymptotic theory of anisotropic plates and shells (World Scientific, 2015)
- 24. K.C. Le, Vibrations of shells and rods (Springer Science & Business Media, 2012)
- 25. V.L. Berdichevsky, International Journal of Engineering Science  ${\bf 48}(3),\,383$  (2010)
- P.E. Tovstik, T.P. Tovstik, ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift f
  ür Angewandte Mathematik und Mechanik (2016). DOI 10.1002/zamm.201600052
- 27. C. Boutin, K. Viverge, European Journal of Mechanics-A/Solids 55, 149 (2016)
- J. Kaplunov, D. Prikazchikov, L. Prikazchikova, International Journal of Solids and Structures 113, 169 (2017)
- L. Prikazchikova, Y. Ece Aydın, B. Erbaş, J. Kaplunov, Mathematics and Mechanics of Solids 25(1), 3 (2020)
- 30. N. Morozov, P. Tovstik, T. Tovstik, Doklady Physics 65(8), 281 (2020)
- J. Kaplunov, D. Prikazchikov, O. Sergushova, Journal of Sound and Vibration 366, 264 (2016)
- 32. J. Kaplunov, D. Prikazchikov, L. Prikazchikova, O. Sergushova, Journal of Sound and Vibration 445, 132 (2019)
- A.L. Goldenveizer, Theory of Elastic Thin Shells: Solid and Structural Mechanics, vol. 2 (Elsevier, 2014)
- 34. A.E.H. Love, A treatise on the mathematical theory of elasticity (Cambridge university press, 2013)
- 35. R.D. Gregory, F.Y. Wan, Journal of Elasticity 14(1), 27 (1984)
- R.D. Gregory, F.Y. Wan, International Journal of Solids and Structures 21(10), 1005 (1985)
- 37. A. Goldenveizer, Journal of Applied Mathematics and Mechanics 62(4), 617 (1998)
- 38. M. Gusein-Zade, Journal of Applied Mathematics and Mechanics 29(4), 892 (1965)
- E. Babenkova, J. Kaplunov, Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences 460(2048), 2153 (2004)
- C. Horgan, in Fourth International Conference on Sanwich Construction, vol. 1 (EMAS Publishing UK, 1998), vol. 1, pp. 191–200
- 41. E. Babenkova, J. Kaplunov, in *IUTAM Symposium on Asymptotics, Singularities and Homogenisation in Problems of Mechanics* (Springer, 2003), pp. 137–145
- 42. I.V. Ivanov, International Journal of Solids and Structures 43(22-23), 6887 (2006)
- G.I. Mikhasev, V.A. Eremeyev, K. Wilde, S.S. Maevskaya, Journal of Intelligent Material Systems and Structures 30(18-19), 2748 (2019)