



SYSTEMATIC REVIEW

Determining current approaches to the evaluation of the quality of healthcare simulation-based education provision: a scoping review. [version 1; peer review: 1 approved, 2 approved with reservations]

Rachel Pogson¹, Helen Henderson ², Matt Holland ³, Agnieszka Sumera^{4,5}, Kacper Sumera ^{5,6}, Carl A. Webster ^{5,7}

- ¹School of Medicine, Keele University, Keele, England, ST5 5BG, UK
- ²School of Nursing, Midwifery and Paramedic Practice, Robert Gordon University, Aberdeen, Scotland, AB10 7QE, UK
- ³Library and Knowledge Service for NHS Ambulance Services in England, Bolton, BL1 5DD, UK
- ⁴Department of Acute Adult Care, University of Chester, Chester, England, CH1 4BJ, UK
- ⁵European Pre-Hospital Research Network (EPRN), Nottingham, England, UK
- ⁶East Midlands Ambulance Service NHS Trust, Nottingham Trent University, Nottingham, England, NG11 8NS, UK
- ⁷Institute of Health and Allied Professions, Nottingham Trent University, Nottingham, England, NG11 8NS, UK

V1 First published: 05 Oct 2023, 13:207
<https://doi.org/10.12688/mep.19758.1>
 Latest published: 05 Oct 2023, 13:207
<https://doi.org/10.12688/mep.19758.1>

Abstract

Background: With an increase in simulation being used in healthcare education, there is a need to ensure the quality of simulation-based education is high. This scoping review was conducted to answer the question: What are the current approaches to the evaluation of the quality of health-care simulation-based education provision?

Methods: Databases PubMed, Cochrane, ERIC, CINAHL and Medline were searched in March 2023 to retrieve peer-reviewed healthcare research and review articles written in the English language within the last 20 years. All data were extracted from six studies, themed and presented in the main text and in tabular form.

Results: Two scoping reviews, one systematic review and three research articles were included. Three main themes were found: adherence to existing design frameworks, lack of validation of these frameworks and lack of evaluation frameworks, and a proposed evaluation framework. Many of the excluded articles focussed on gaining participant feedback to evaluate simulation activities, rather than evaluating the quality of the design and implementation of the simulation.

Conclusions: Benchmarking of current United Kingdom (UK) healthcare simulation against UK and international simulation standards is required to increase its quality, therefore, an agreed UK template framework to evaluate simulation packages is

Open Peer Review

Approval Status ✓ ? ?

| | 1 | 2 | 3 |
|---------------------------------|-----------|-----------|-----------|
| version 1 05 Oct 2023 | ✓ view | ? view | ? view |

1. **Amanda Wilford** , Staffordshire University, Stoke-on-Trent, UK
2. **Si Qi Yoong** , Alice Lee Centre of Nursing Studies, Yong Loo Lin School of Medicine, National University of Singapore, 21 Lower Kent Ridge Rd, Singapore
3. **Leizl Joy Nayahangan** , Copenhagen Academy for Medical Education and Simulation, Center for Human Resources and Education, Copenhagen, Denmark

Any reports and responses or comments on the article can be found at the end of the article.

recommended.

Keywords

Simulation, Benchmarking, Healthcare, Evaluation, Quality



This article is included in the Simulation-Based Medical Education collection.

Corresponding author: Rachel Pogson (r.pogson@keele.ac.uk)

Author roles: **Pogson R:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation; **Henderson H:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation; **Holland M:** Conceptualization, Data Curation, Methodology; **Sumera A:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation; **Sumera K:** Conceptualization, Data Curation, Formal Analysis, Funding Acquisition, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation; **Webster CA:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation

Competing interests: No competing interests were disclosed.

Grant information: This project was funded by NHS England (Workforce, Training and Education) and commissioned by East Midlands Ambulance Service NHS Trust (EMAS).

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2023 Pogson R *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Pogson R, Henderson H, Holland M *et al.* **Determining current approaches to the evaluation of the quality of healthcare simulation-based education provision: a scoping review. [version 1; peer review: 1 approved, 2 approved with reservations]** MedEdPublish 2023, 13:207 <https://doi.org/10.12688/mep.19758.1>

First published: 05 Oct 2023, 13:207 <https://doi.org/10.12688/mep.19758.1>

Introduction

Simulation has been defined as: “A technique that creates a situation or environment to allow persons to experience a representation of a real event for the purpose of practice, learning, evaluation, testing, or to gain understanding of systems or human actions” (Lioce *et al.*, 2020).

Simulation-Based Education (SBE) is a student-centred approach underpinned by theories based on constructivism and experiential learning. According to Jeffries (2021), it consists of three sequences: prebriefing, scenario and debriefing. Simulation allows for the varying circumstances involved in patient care and treatment to be better understood and can help in the management of the real situation when it occurs.

Simulation has become an essential approach for educating health professionals (Gardner *et al.*, 2023). Within the United Kingdom (UK), there has been an unparalleled increase and investment in the use of simulation-based education where it is now being viewed as a key component and cornerstone to healthcare education, particularly in nursing and medical programmes (Seaton *et al.*, 2019). Several accreditation bodies now require simulation to be embedded within their educational programmes, especially in the United States (Gardner *et al.*, 2023). Simulation is recognised as an important means of improving patient outcomes through improved learning of evidence-based standards with the ultimate driver being improved quality and safety in healthcare. Simulation is “measurable, focused, reproducible [...] and importantly, very memorable” (DeVita, 2009).

The benefits of SBE include decreased reliance on training with real patients, allowing for instant feedback for correction of errors, deliberate practice and for directing learning, enhancing the transfer of theoretical knowledge into the clinical context, and ensuring learners are competent before exposure to real patients. As simulation technology continues to develop, scenarios are predicted to improve in the reflection of reality. This includes effective collaborative practice where different professionals learn together by sharing their knowledge, opinions and skills through simulation (Astbury *et al.*, 2021)

Using simulation-based education requires a standardised, consistent and equitable approach to ensure that quality education is delivered. It requires faculty who can design, facilitate and debrief simulation-based experiences which meet the learning objectives for the scenarios, with the overall aim being to produce students, who when qualified, are resilient, compassionate and safe practitioners and who meet the required standards for their registration (Watts *et al.*, 2021a)

There is a recognised need to identify alternative ways that can enhance and not replace clinical practice (Cleaver *et al.*, 2022). With the current issues in healthcare, the growth in student numbers and challenges of capacity in providing quality clinical placements, simulated placements or the use of simulation-based education is being seen as a potential

solution to helping to address these problems (Bogossian *et al.*, 2018). The Nursing and Midwifery Council (NMC) increased the use of simulated practice learning (SPL) in the pre-registration nursing programmes. The maximum number of SPL hours was raised from 300 to 600 this year as a part of the 2300 practice learning hours (Lewis *et al.*, 2022). The Health and Care Professions Council (HCPC) do not specify a core number of placement hours, nor prescribe whether placement must be clinical or simulated, giving education providers the freedom to apply simulation where they see fit (HCPC, 2021).

If simulation is to be used in these areas, there is a need to ensure that the impact and effectiveness can be consistently demonstrated and that there is a clear evaluation strategy that is benchmarked/linked to standards in simulation. Currently, it seems that there is a dearth of simulation programme evaluation studies (Kaba *et al.*, 2022). While numerous publications have focused on specific aspects of simulation-based education, such as fidelity or debriefing techniques, few studies have comprehensively examined the evaluation of the entire simulation program. Within the UK there is a recommended SBE standards framework and guidance from the Association of Simulated Practice in Healthcare (ASPiH) (Purva & Nicklin, 2018). Their framework is currently under review. Internationally there are the revised 2021 International Nursing Association of Clinical Simulation Learning (INACSL) Healthcare Simulation Standards of Best Practice™ (Watts *et al.*, 2021b) and the updated 2021 criteria for accreditation and certification standards with the Society for Simulation in Healthcare (SSH), which also focuses on the evaluation and improvement of simulation educational activities. These standards all discuss and highlight the importance of evaluating how simulation is delivered. It is essential to ensure that those who are participating in any simulation experience are being exposed to a properly designed activity (NMC, 2018; Sahakian *et al.*, 2019) that can safely achieve the required learning outcomes and identify where areas need to be improved.

The lack of evidence around the evaluation of simulation-based education requires further study. As a starting point, this research reviews the recent literature to determine current state of knowledge on this topic.

A preliminary search for previous scoping and systematic reviews on the evaluation of simulation-based education provision was conducted through The Cochrane Database of Systematic Reviews which produced some reviews on simulation, although most focussed on knowledge acquisition for students, rather than evaluation of simulation-based education provision.

Methods

We used Arksey and O'Malley's (2005) five-stage framework in our scoping review, encompassing research question identification, literature search, study selection, data charting, and result summarisation and reporting. The JBI Manual for Evidence Synthesis (Scoping Reviews) methodology

(Peters *et al.*, 2020) and PRISMA-ScR statement (Tricco *et al.*, 2018) were utilised. The scoping review protocol was registered on Open Science Framework on 17.3.23 (<https://osf.io/cqshd/>).

Identifying the research question

The PCC (population/concept/context) framework was used to identify the main concepts and inform the research question and search strategy (Pollock *et al.*, 2023).

Population. Research or review articles that explored the evaluation of the quality of healthcare SBE program provision. The characteristics of participants included healthcare professionals or healthcare students.

Concept. The concept under exploration was approaches to the evaluation of the quality of healthcare SBE provision.

Context. The context was the current approach to the evaluation of the quality of healthcare SBE provision within the healthcare or education setting.

We sought to establish the existing evidence surrounding the standards of simulation-based healthcare education, therefore proposed the following:

- a. Objective: *To determine current knowledge about the evaluation of the quality of healthcare simulation-based education provision.*
- b. Research question: *What are the current approaches to the evaluation of the quality of healthcare simulation-based education provision?*

Search for relevant studies

Search terms were devised by the reviewers and peer-reviewed by a research librarian (MH). In March 2023, databases PubMed, Cochrane, ERIC, CINAHL and Medline were searched. PubMed was searched with '(Evaluate[Title] OR Quality[Title] OR Standard[Title] OR Review[Title] OR Evaluation[Title]) AND ("simulation based"[Title] OR "simulated practice"[Title])'. Cochrane was searched with "'simulation based" OR "simulated practice" in Title Abstract Keyword AND Evaluat* OR Quality OR Standard* OR Review* in Record Title - in Trials (Word variations have been searched)'. ERIC was searched with '(Evaluat* OR Quality OR Standard* OR Review*) AND ("simulation based" OR "simulated practice")'. CINAHL and Medline were searched with 'Evaluat* OR Quality OR Standard* OR Review* "simulation based" OR "simulated practice" with the limiter of 'peer reviewed' applied. The terms and Boolean Operators were chosen with the aim of capturing available evidence on the current evaluation of simulation-based education provision. 'Simulation based' and 'simulated practice' were both used as 'simulated based practice' is often used within allied health professions education and simulated practice learning is more often used within nursing education. A bibliographical database was created to store and manage the references.

Selecting relevant studies

Five members of the research team (RP, HH, AS, KS, and CW) assessed the suitability of the published articles against the following inclusion criteria: articles that explore the evaluation of the quality of healthcare simulation-based education provision. We included any published research and review articles that contained any healthcare field that used simulation-based education, written in the English language. Exclusion criteria were articles that didn't explore the evaluation of the quality of simulation-based education provision as a whole provision, were not within healthcare/healthcare education fields, were not in the English language, and articles published more than 20 years ago. Excluded articles also included grey literature as it was not considered appropriate to meet the objective and research question for this scoping review.

For standardisation, a sample of the studies were screened by the reviewing team together (RP, HH, AS, KS, and CW). Each source of evidence was then screened by two reviewers independently by title and abstract examination. Any conflict was settled by a third reviewer from the reviewing team. The full-text examination was carried out independently by two of the reviewers. Studies screened at this stage were either included or excluded and conflict resolved by a third reviewer.

Charting the data

Data from the included articles was aided by a synthesis matrix to organise the information into author(s), year, title, object, study design, and key relevant findings (Table 1).

Collating, summarising, and reporting the results

The extracted articles were collated, summarised, and reported in Table 1. Emerging themes were presented in Table 2.

Results

The search across databases yielded 2989 publications. After removing duplicates, 1663 papers were left for consideration. Among these, 1474 papers were discarded as they did not meet the inclusion criteria after a review of their titles and abstracts. The remaining 189 papers were assessed for eligibility. Ultimately, six papers were found to meet the inclusion criteria (Figure 1). Out of the selected studies, two were scoping reviews (Salifu *et al.*, 2022; Stockert *et al.*, 2022), one was a systematic review (Smith *et al.*, 2018), one reported evaluation of SBE evaluation rubric and peer-review findings (Grotta & O'Neal, 2020), one reported analysis findings from SBE provision site visits, and one was a quantitative online survey study (Swart *et al.*, 2019). Of the articles that were screened and excluded, many of these focussed on gaining participant feedback to evaluate simulation activities, rather than evaluating the overall quality of the design and implementation of the simulation. The six included articles were put into three main themes. These were adherence to existing design frameworks (Cooke *et al.*, 2018; Smith *et al.*, 2018; Stockert *et al.*, 2022), lack of validation of these frameworks and lack of evaluation frameworks (Salifu *et al.*, 2022;

Table 1. Summary of Articles.


| Author(s) and Year | Title | Objective | Study Design | Key Relevant Findings |
|-----------------------------|--|--|---|---|
| Cooke <i>et al.</i> , 2018 | Simulation center: best practices: A review of ACS-accredited educational institutes' best practices, 2011 to present. | To analyse five years of American College of Surgeons accredited educational institutes review reports assessing best practices across standards and criteria in order to identify resources that could be shared among AEs. | Secondary research; analysis of site reviews. | Good practice significantly impacting quality of SBE provision: A rigorous standardised curriculum development process, and curriculum reviewed by a curriculum review committee, with involvement of educational experts and/or learners. Standardised processes implemented for onboarding new faculty, evaluating faculty, and conducting regular simulation instructor courses. Systematic process for simulator selection/acquisition, and ability to develop or modify custom simulators to meet training needs. Garnering adequate and sustained institutional support, adequate space and equipment for training, efficiency and thoughtful design to meet the unique demands of simulation, and spaces that mimic clinical environments is emphasized (Cooke <i>et al.</i> , 2018). |
| Grota & O'Neal, 2020 | Using International Nursing Association for Clinical Simulation and Learning Standards to Evaluate the Rigor of High-Fidelity Simulation Learning Experiences. | To share an approach applying INACSL standards to support the substitution of two-hour traditional clinical with one hour of high-quality, rigorous simulation or SLE as determined by faculty governance. | Peer-evaluation of SBE evaluation rubric | In order to achieve high-quality simulation, it is crucial to adopt theoretical and nationally recognized standards. Furthermore, the faculty should have governance over simulation to promote their involvement and ensure quality simulation (Grota & Neal, 2020). |
| Salifu <i>et al.</i> , 2022 | Frameworks for the design, implementation, and evaluation of simulation-based nursing education: A scoping review. | The objectives of this review were to identify frameworks and theories used to guide design, implementation and evaluation of nursing SBE with a focus on the low-resource setting | Scoping review | The lack of a context-specific framework to guide the design, implementation, and evaluation of simulation-based clinical nursing education (SBCNE) in low-resource settings. Of the simulation theory and frameworks included in this review, seven constructs were identified, namely context, background, simulation design, educational practices, facilitator, participant, and outcome (Salifu <i>et al.</i> , 2022). |
| Smith <i>et al.</i> , 2018 | The Use of Simulation to Teach Nursing Students and Clinicians Palliative Care and End-of-Life Communication: A Systematic Review. | The objectives were to review the use of SBE to teach communication skills in palliative and end-of-life care. | Systematic review | Debriefing key element of nearly all simulation exercises. Debriefing methods included videotaped session review, question and answer sessions, guided questions, reflective sessions, and the use of published debriefing guides (eg, Debriefing with Good Judgement). Nursing faculty typically facilitated debriefings, but actors, registered nurses, and emergency room residents were also involved. Some authors reported using existing evidence-based frameworks and curricula to guide the development or design of their simulation based learning event (SBLE). All 12 reported conducting pre- and post-evaluations to assess changes in knowledge level, attitudes, and/or self-confidence. Authors reported using a variety of instruments to evaluate the SBLEs, but little to no evidence provided on previous testing or psychometrics. An absence of information that seems critical to assessing the quality and outcomes of the SBLEs in these articles. One is the length of the SBLE. Although the descriptions indicated the SBLEs varied in length, most did not provide sufficient information to assess the actual time involved (Smith <i>et al.</i> , 2018). |

| Author(s) and Year | Title | Objective | Study Design | Key Relevant Findings |
|-------------------------------|--|--|------------------------------|--|
| Stockert <i>et al.</i> , 2022 | Simulation-Based Education in Physical Therapist Professional Education: A Scoping Review. | The purposes of this study were to (1) describe and summarize the use of simulation-based education (SBE) with student physical therapists in the international literature and (2) describe the application and integration of standards of best practice (SOBP) for SBE reported in published physical therapy education research. | Scoping review | A summary of the findings relative to the use of 3 INACSL Standards of Best Practice (SOBP)- only 6% of the 182 studies contained all 3 elements: a needs assessment, pre-briefing, and debriefing. Eighty-one of the studies were published prior to dissemination of the INACSL standards in 2016, 17–22 and 101 were published in 2017 or later (Stockert <i>et al.</i> , 2022). |
| Swart <i>et al.</i> , 2019 | SASS: South African Simulation Survey - a review of simulation-based education. | The objectives of this study were to describe: i) the state of SBE in anaesthesia within South Africa and a selection of other settings; ii) the learner groups targeted with SBE; iii) the tools used to assess performance during SBE events; iv) the learning objectives targeted; v) the evaluation of the quality and impact of SBE programmes; vi) the resources available within South Africa for SBE; vii) the perceived barriers to the implementation of SBE in South Africa; viii) the attitudes towards SBE; and ix) research and collaboration. | A quantitative online survey | Forty percent of anaesthesia respondents and 38% of non-anaesthesia respondents reported having formal SBE accreditation, but only 11% of all respondents reported attending a formal simulation instructor course. The impact of SBE was evaluated by informal discussions and learner feedback. The methods used for evaluating the impact of SBE: Informal discussion, learner feedback, assessment of learner in simulation, assessment of learner in real situation, patient outcomes (Swart <i>et al.</i> , 2019). |

Table 2. Results.

| Categories | Evidence |
|--|--|
| Adherence to existing design frameworks | <ul style="list-style-type: none"> - In this review, 9 articles reported using an existing framework or curriculum in the design of their SBLEs (Smith <i>et al.</i>, 2018). Some authors reported using existing evidence-based frameworks and curricula to guide the development or design of their SBLE (Smith <i>et al.</i>, 2018). - INACSL SOBP- Only 6% of the 182 studies contained all 3 elements: a needs assessment, pre-briefing, and debriefing. Eighty-one of the studies were published prior to dissemination of the INACSL standards in 2016, and 101 were published in 2017 or later (Stockert <i>et al.</i>, 2022). Pre-briefing was reported in 39.5% of the studies published prior to the INACSL standards compared with 52.5% of studies published afterwards. Debriefing was reported in 54.3% of the studies published before the INACSL standards and in 74.3% of the studies published afterwards. Whereas 8.6% of the studies published prior to the INACSL standards contained all 3 elements, only 4.0% of the studies published after the standards contained all 3 elements (Stockert <i>et al.</i>, 2022). - Common themes among simulation best practices include the following: rigorous application of a standardized curriculum development process, educational expert and/or learner involvement and review by a curriculum review committee (Cooke <i>et al.</i>, 2018). |
| Lack of validation of design frameworks/lack of evaluation framework | <ul style="list-style-type: none"> - Authors reported using a variety of instruments to evaluate the SBLEs, but little to no evidence provided on previous testing or psychometrics. The absence of information seems critical to assessing the quality and outcomes of SBLEs in these articles. The limited inclusion of SOBP in SBE research and use of outcome measures that have not been validated limits the production of high-quality research that could be utilized to provide guidance on how to maximize the impact of SBE in physical therapy education (Smith <i>et al.</i>, 2018). - No previous review on simulation in nursing education has identified and described the constructs of frameworks and theories used to guide the design, implementation, and evaluation of simulation in other parts of the world, with a focus on their applicability in a low-resource setting and thus the gaps hindering their application in low-resource settings (Stockert <i>et al.</i>, 2022). - The participant outcome is recorded substantially in the literature and includes increased satisfaction and self-confidence, the acquisition of knowledge, skills, and attitude, as well as behavioural change. What is debated is how SBCNE contributes to knowledge transfer and improvement in patient care and the health system. Studies that linked SBCNE to better patient outcomes have been criticized for their lack of robustness and methodological validity (Salifu <i>et al.</i>, 2022). - Very few of the respondents evaluated the quality or the impact of SBE. This may be due to the relatively new adoption of SBE as a learning tool within South Africa. Participant feedback was mainly used to evaluate SBE quality. This method is potentially subjective and unreliable. Educational impact on more objective indicators such as improved clinical outcomes is difficult to measure or achieve. Currently, informal discussions and learner feedback are most frequently used to evaluate the impact of SBE (Swart <i>et al.</i>, 2019). |
| Proposed evaluation framework | <p>The faculty adopted Kolb's theory of experiential learning (Kolb, 1984) for building the simulation program, the INACSL Standards of Best Practice Simulation (2016) for directing the integration of simulation into curriculum and providing the guidance for simulation development, and the Society of Simulation Healthcare dictionary (Lioce <i>et al.</i>, 2020) for standardizing nomenclature. The rubric, called the SLE evaluation rubric, lists twelve criteria for SLE evaluation on a nominal rating scale. Criterion 12 addresses evaluation. The SLE should have a plan for participant/student evaluation. A limitation of the proposed rubric is that it only evaluates the planning and development of the SLE as 2:1. It does not ensure that SLE is implemented to meet the rigorous requirement of the rubric (Grota & Neal, 2020).</p> |

Simulation-based Education Evaluation



15th May 2023



Figure 1. PRISMA flow diagram demonstrating review search results.

Smith *et al.*, 2018; Stockert *et al.*, 2022; Swart *et al.*, 2019), and a proposed evaluation framework (Grotta & O'Neal, 2020).

Adherence to existing design frameworks

The systematic review of Smith *et al.* (2018) found some articles that described the use of existing frameworks in the design of simulation-based learning experiences (SBLEs), with a lack of standardisation of what framework was chosen. The scoping review of Stockert *et al.* (2022) found that only six per cent of the 182 studies contained all three elements of the INACSL standards of best practice (SOBP) - a needs assessment, pre-briefing, and debriefing. Interestingly, it was found that 8.6% of the studies published prior to the INACSL standards contained all 3 elements, and only 4.0% of the studies published after the standards contained all 3 elements (Stockert *et al.*, 2022). In their study Accredited Educational Institutes, Cooke *et al.* (2018) found a common theme of rigorous application of a standardised curriculum development process, educational expert and/or learner involvement and review by a curriculum review committee. These three studies show differing levels of adherence to existing design frameworks.

Lack of validation of design frameworks/lack of evaluation frameworks

In their systematic review, Smith *et al.* (2018) found a variety of instruments/measures were used to evaluate simulation-based learning experiences (SBLEs) with little to no evidence of previous testing or psychometrics. They also found little information on the assessment of the quality and outcomes of the SBLEs in the articles they reviewed (Smith *et al.*, 2018). Stockert *et al.* (2022) found that outcome measures that have not been validated not only reduce the impact of the simulation experience on student learning but also severely limit the production of high-quality research. The scoping review of Salifu *et al.* (2022) found that no previous review on simulation in nursing education had identified and described the constructs of frameworks and theories used to guide the design, implementation, and evaluation of simulation, although their review focussed on low-resource settings. Studies that linked nursing simulation to better patient outcomes had been criticised for their lack of robustness and methodological validity (Salifu *et al.*, 2022). Swart *et al.* (2019) found in their study that very few of the respondents evaluated the quality or the impact of SBE, which may be due to the relatively new adoption of SBE as a learning tool within South Africa. Simulation participant feedback was mainly used to attempt to evaluate SBE quality and the impact of SBE which could be subjective and unreliable (Swart *et al.*, 2019). Participant feedback may be useful within simulation evaluation but does not directly evaluate the quality of the activity or adherence to best practice standards. Overall, the literature has shown that there has been limited validation of design frameworks, and although there does appear to be some attempts at evaluating simulation activities, there has been little consistency or standardisation.

Proposed evaluation framework

The study of Grotta & O'Neal (2020) shared an approach applying a new simulation-based learning experience (SLE) evaluation rubric by adopting Kolb's theory of experiential learning (1984) for building the simulation program, the INACSL Standards of Best Practice Simulation (Sittner *et al.*, 2015) for directing the integration of simulation into curriculum and providing the guidance for simulation development, and the Society of Simulation Healthcare dictionary (Lioce *et al.*, 2020) for standardising nomenclature. A limitation of the proposed rubric is that it does not ensure that SLE is implemented to meet the rigorous requirement of the rubric. For instance, an SLE can be approved yet, when it is implemented, may be impaired by the lack of available resources such as room assignment, lack of an appropriate manikin, or lack of a trained facilitator (Grotta & O'Neal, 2020). This suggests that an evaluation rubric or framework should also accompany a design framework.

Overall, our scoping review found that, although there is some literature on the adherence to existing design frameworks (Cooke *et al.*, 2018; Smith *et al.*, 2018; Stockert *et al.*, 2022), comments on a lack of validation in design frameworks and a lack of evaluation frameworks (Salifu *et al.*, 2022; Smith *et al.*, 2018; Stockert *et al.*, 2022; Swart *et al.*, 2019), and there is one study (Grotta & O'Neal, 2020) that showcases a proposed evaluation tool, there is a paucity of evidence determining current knowledge about the evaluation of the quality of healthcare simulation-based education provision.

Discussion

Current status

The aim of this study was to determine the current knowledge of the evaluation of the quality of SBE provisions in healthcare. The results have shown that there is a paucity of research that evaluates the protocols and standards of the delivered SBE and a lack of a standardised framework or template to evaluate SBE. The findings in this review are consistent with the literature. Leighton *et al.* (2020), found no validated tools to evaluate SBE programs and no published literature that comprehensively evaluates SBE programs. Our study shows that this has not changed since 2020. This is significant as stretched healthcare systems continue to face pressure over demand and resources, with increasing healthcare student numbers in clinical placement having a negative impact on the number of clinical hours and the quality of that experience (Leite *et al.*, 2020). As a result, there has been an increasing focus on replacing or enhancing clinical placement hours with SBE across a wide range of healthcare courses (Leighton *et al.*, 2020; NMC; Roberts *et al.*, 2019; Wheeler & Dippenaar, 2020). With such a focus on supplementing clinical education with SBE it is important to standardise the approach to evaluating the quality of SBE provisions (Stockert *et al.*, 2022).

Current trends in evaluating SBE are generally limited to assessing specific learner outcomes, such as a clinical skill

or competency, or through the evaluation of the student or facilitator's perspectives (Egan *et al.*, 2023; Foronda *et al.*, 2013; Lee *et al.*, 2018). Moreover, this level of evaluation is often self-reported feedback or a self-assessment of the perceived quality. Although this provides important feedback for SBE facilitators, this type of evaluation stops short of benchmarking against agreed standards. This is a crucial step for ensuring the quality of the SBE delivered.

Therefore, the results of the present study indicate that the extent to which education providers adhere to standards for simulation-based education (SBE) is unclear. Moreover, the quality of SBE programs is not currently evaluated or reported in the literature. This finding is concerning as it suggests that the effectiveness and safety of SBE programs are not being fully assessed, which can have potential implications for the quality of healthcare education and patient care outcomes.

Standards of Best Practice/Frameworks for design and evaluation of quality

Best Practice Standards have been created for the design and development of Simulation-Based Education (SBE), which include the Healthcare Simulation Standards of Best Practice (The INACSL Standards Committee) and the ASPIH standards. The Association for Simulated Practice in Healthcare (ASPIH) developed a set of 21 standards with corresponding guidance in 2016 for centres to use as a framework during simulation design. These standards were created to be broad enough to apply to multiple simulation programs, but more explicit guidance from ASPIH was needed to help centres gauge whether a standard had been achieved (Egan *et al.*, 2023). In response, Angel *et al.* (2019) developed an audit tool to assess compliance with ASPIH standards. In 2018, ASPIH announced an accreditation process for centres that comply with their standards, claiming that this process will lead to improved simulation quality assurance, organisational networking, formalisation of the simulation process and better meeting of simulation stakeholders' needs (Angel *et al.*, 2019). ASPIH identifies its audience as "healthcare professionals involved in SBE", and the standards are designed to help them provide quality assurance and improve the delivery of SBE (Purva & Nicklin, 2018). The ASPIH Standards framework fits with existing practices and priorities of educational bodies and quality assurance bodies, incorporating key elements from quality assurance and standards frameworks published by various bodies (Purva & Nicklin, 2018).

Without a reliable and validated tool or framework for assessing compliance, it is difficult for individuals, institutions and regulatory bodies to know whether the standards set out by ASPIH and other professional societies are being met. This can ultimately result in the absence of quality assurance, with consequences for patient safety and effective healthcare delivery (Angel *et al.*, 2019). The Society for Simulation in

Healthcare (SSH), which is the largest healthcare simulation accreditation body in the world, has since 2010 offered an accreditation process for centres. This examines the simulation programme's processes and outcomes in assessment, research, teaching/education and in systems integration and is peer-reviewed. Each area of accreditation has specific standards that are stated, but in addition, in their companion document, there are very detailed descriptions of the standards, which are not meant to be prescriptive but instead are based on the desired outcomes and processes that are the benchmarks of quality healthcare simulation. The aim is that it is a tool that can help identify how best the standards are met. ASPIH also offers an accreditation process for centres that aims to "encompass quality assured educational mechanisms which provide greater credibility [...]" And the organisation sees it as a "quality standard that serves as an authoritative benchmark for assessing performance, rewarding achievement and driving improvement". Within the UK, there are very few individuals, programmes or institutions that achieved accreditation status from ASPIH (ASPIH, 2023) or SSH.

Evaluation tools have been suggested, and these have been predominantly structured around the curriculum design standards, such as INACSL (Grota & O'Neal, 2020; Leighton *et al.*, 2020; Purva & Nicklin, 2018). In the limited literature that does explore the use of a structured approach to SBE program evaluation, there is a lack of adherence to these frameworks, where only parts of the standards have been included, evaluated, or reported on (Finstad, 2010; Grota & O'Neal, 2020; Stockert *et al.*, 2022). The whole of the SBE provision, rather than parts, need to be systematically assessed, including before simulation, during simulation, after simulation, and the operational efficiency (Leighton *et al.*, 2020).

The rubric developed by Grota and O'Neal (2020) provides a valuable tool for evaluating the planning and development of high-fidelity simulation learning experiences in nursing. Such rubric could be amended to enable quality assurance of SBE provision (Grota & O'Neal, 2020).

The absence of a framework or evaluation tool to establish or verify the quality of SBE programs has led to inconsistent reporting of simulation. This could potentially impact research carried out in simulation as there is a consensus that adherence to standard research reporting guidelines would be beneficial (Cantrell *et al.*, 2017; O'Shea *et al.*, 2020; Weaver *et al.*, 2010).

Next steps: design frameworks/Evaluation frameworks
ASPIH is due to publish new standards in simulation. We recommend these new standards, along with guidance produced by the Society for Simulation in Healthcare, in terms of their accreditation process for centres that deliver simulation, should be reviewed with key elements identified and then used to generate a suitable framework building

on the work by Grota and O'Neal (2020). This could then enable and help to ensure that SBE programmes meet the highest standards of quality and rigour in healthcare education.

Conclusions

This scoping review has found a paucity of evidence on the evaluation of the quality of delivered healthcare simulation. The literature that does exist looked at adherence to existing design frameworks (Smith *et al.*, 2018; Stockert *et al.*, 2022; Swart *et al.*, 2019), lack of validation of these frameworks and lack of evaluation frameworks (Salifu *et al.*, 2022; Smith *et al.*, 2018; Swart *et al.*, 2019), and a proposed evaluation framework (Grota & O'Neal, 2020).

It is important to address this gap in the literature by developing standards for the evaluation of SBE programs and promoting their implementation in healthcare education settings. This would allow for a more comprehensive understanding of the quality and effectiveness of SBE programs, and enable educators to make informed decisions about the use of SBE in healthcare education.

Now is the time for there to be a greater emphasis in the UK on the standardisation of healthcare simulation. Benchmarking current UK healthcare simulation against UK and international simulation standards is required to increase quality if the simulation is going to be increasingly

used to enhance practice and education. An agreed UK template framework to evaluate simulation packages is recommended to measure the quality of this work to be done.

Although this review aimed to determine current knowledge about the evaluation of the quality of healthcare simulation-based education provision, further research, including searching non-healthcare literature, could provide an insight into how other professions benchmark their simulation delivery and evaluation, and these could provide valuable insights for the development of healthcare simulation education provision.

Limitations

Limitations in this article include the exclusion of grey literature which may limit comprehensiveness. Exclusion was due to concerns about quality and source heterogeneity, prioritising peer-reviewed publications. Secondly, excluding non-English studies may introduce language bias and restrict generalisability. Nonetheless, this study aims to provide valuable insights within its specified scope.

Data availability

All data underlying the results are available as part of the article and no additional source data are required.

References

- Angel D, Foster A, Solanki P: **Auditing simulation practice against ASPIH standards: An experience for a district general hospital.** *BMJ Simul Technol Enhanc Learn.* 2019; **6**(1): 56–7.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Arksey H, O'Malley L: **Scoping studies: towards a methodological framework.** *Int J Soc Res Methodol.* 2005; **8**(1): 19–32.
[Publisher Full Text](#)
- ASPIH: **Accreditation.** 2023.
[Reference Source](#)
- Astbury J, Ferguson J, Silverthorne J, *et al.*: **High-fidelity simulation-based education in pre-registration healthcare programmes: A systematic review of reviews to inform collaborative and interprofessional best practice.** *J Interprof Care.* 2021; **35**(4): 622–32.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Bogossian F, Cooper S, Kelly M, *et al.*: **Best practice in clinical simulation education – are we there yet? A cross-sectional survey of simulation in Australian and New Zealand pre-registration nursing education.** *Collegian.* 2018; **25**(3): 327–34.
[Publisher Full Text](#)
- Cantrell MA, Franklin A, Leighton K, *et al.*: **The evidence in simulation-based learning experiences in nursing education and practice: An umbrella review.** *Clin Simul Nurs.* 2017; **13**(12): 634–67.
[Publisher Full Text](#)
- Cleaver K, Essex R, Narramore N, *et al.*: **'A much kinder introduction': Exploring the benefits and challenges of paediatric simulation as a transitioning tool prior to clinical practice.** *Int J Healthc Simul.* 2022; **2**(1): 12–20.
[Publisher Full Text](#)
- Cooke JM, Rooney DM, Fernandez GL, *et al.*: **Simulation center best practices: A review of ACS-accredited educational institutes' best practices, 2011 to present.** *Surgery.* 2018; **163**(4): 916–20.
[PubMed Abstract](#) | [Publisher Full Text](#)
- DeVita MA: **Society for simulation in healthcare presidential address, January 2009.** *Simul Healthc.* 2009; **4**(1): 43–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Egan R, Lee C, Bornais J, *et al.*: **Perspectives of simulation facilitators, course professors and students on factors and outcomes of simulation effectiveness.** *Int J Healthc Simul.* 2023; 1–10.
[Publisher Full Text](#)
- Finstad K: **Response interpolation and scale sensitivity: Evidence against 5-point scales.** *J Usability Stud.* 2010; **5**(3): 104–10.
[Reference Source](#)
- Foronda C, Liu S, Bauman EB: **Evaluation of simulation in undergraduate nurse education: An integrative review.** *Clin Simul Nurs.* 2013; **9**(10): e409–16.
[Publisher Full Text](#)
- Gardner A, Steinert Y, Rodgers D, *et al.*: **Mapping the terrain of simulation faculty development: Protocol for a scoping review.** *Int J Healthc Simul.* 2023; 1–6.
[Publisher Full Text](#)
- Grota PG, O'Neal C: **Using international nursing association for clinical simulation and learning standards to evaluate the rigor of high-fidelity simulation learning experiences.** *Clin Simul Nurs.* 2020; **46**(3): 50–6.
[Publisher Full Text](#)
- Jeffries P: **The NLN Jeffries simulation theory.** Lippincott Williams & Wilkins, 2021.
[Reference Source](#)

Kaba A, Cronin T, Tavares W, et al.: **Improving team effectiveness using a program evaluation logic model: Case study of the largest provincial simulation program in canada.** *Int J Healthc Simul.* 2022; 1–8.

[Publisher Full Text](#)

Kolb DA: **Experiential learning: Experience as the source of learning and development.** Englewood Cliffs, N.J.: Prentice-Hall, 1984] © 1984. 1939–1984.

[Reference Source](#)

Lee J, Lee SH, Kim J: **A review of the curriculum development process of simulation-based educational intervention studies in korea.** *Nurse Educ Today.* 2018; **64**: 42–8.

[PubMed Abstract](#) | [Publisher Full Text](#)

Leighton K, Foisy-Doll C, Mudra V, et al.: **Guidance for comprehensive health care simulation program evaluation.** *Clin Simul Nurs.* 2020; **48**: 20–8.

[Publisher Full Text](#)

Leite H, Lindsay C, Kumar M: **COVID-19 outbreak: Implications on healthcare operations.** *The TQM Journal.* 2020; **33**(1): 247–56.

[Publisher Full Text](#)

Lewis S, McLaren J, Johnston L, et al.: **Student nurses' perceptions and experiences of simulated practice placements.** *Int J Healthc Simul.* 2022; **2**(Supplement 1): 75–6.

[Reference Source](#)

Lioce L, Lopreiato J, Downing D, et al.: **Healthcare simulation dictionary.** Rockville, MD: Agency for Healthcare Research and Quality, 2020; **2020**: 20–0019.

[Reference Source](#)

NMC: **Part 3: Standards for pre-registration nursing programmes.** 2018.

[Reference Source](#)

NMC: **Simulated practice learning.** the nursing and midwifery council.

[Reference Source](#)

O'Shea MC, Palermo C, Rogers GD, et al.: **Simulation-based learning experiences in dietetics programs: A systematic review.** *J Nutr Educ Behav.* 2020; **52**(4): 429–38.

[PubMed Abstract](#) | [Publisher Full Text](#)

Peters MD, Marnie C, Tricco AC, et al.: **Updated methodological guidance for the conduct of scoping reviews.** *JBI Evid Synth.* 2020; **18**(10): 2119–2126.

[PubMed Abstract](#) | [Publisher Full Text](#)

Pollock D, Peters MDJ, Khalil H, et al.: **Recommendations for the extraction, analysis, and presentation of results in scoping reviews.** *JBI Evid Synth.* 2023; **21**(3): 520–32.

[PubMed Abstract](#) | [Publisher Full Text](#)

Purva M, Nicklin J: **ASPiH standards for simulation-based education: Process of consultation, design and implementation.** *BMJ Simul Technol Enhanc Learn.* 2018; **4**(3): 117–25.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Roberts E, Kaak V, Rolley J: **Simulation to replace clinical hours in nursing: A meta-narrative review.** *Clin Simul Nurs.* 2019; **37**: 5–13.

[Publisher Full Text](#)

Sahakian GD, Buléon C, Alinier G: **Educational foundations of instructional**

design applied to simulation-based education. *Clin Simul.* 2019; 185–206.

[Publisher Full Text](#)

Salifu DA, Christmals CD, Reitsma GM: **Frameworks for the design, implementation, and evaluation of simulation-based nursing education: A scoping review.** *Nurs Health Sci.* 2022; **24**(3): 545–63.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Seaton P, Levett-Jones T, Cant R, et al.: **Exploring the extent to which simulation-based education addresses contemporary patient safety priorities: A scoping review.** *Collegian.* 2019; **26**(1): 194–203.

[Publisher Full Text](#)

Sittner BJ, Aebbersold ML, Paige JB, et al.: **INACSL standards of best practice for simulation: Past, present, and future.** *Nurs Educ Perspect.* 2015; **36**(5): 294–8.

[PubMed Abstract](#) | [Publisher Full Text](#)

Smith MB, Macieira TGR, Bumbach MD, et al.: **The use of simulation to teach nursing students and clinicians palliative care and end-of-life communication: A systematic review.** *Am J Hosp Palliat Care.* 2018; **35**(8): 1140–54.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

SSH: **SSH accreditation of healthcare simulation programs.**

Stocker B, Silberman N, Rucker J, et al.: **Simulation-based education in physical therapist professional education: A scoping review.** *Phys Ther.* 2022; **102**(12): pzac133.

[PubMed Abstract](#) | [Publisher Full Text](#)

Swart R, Duys R, Hauser ND: **SASS: South african simulation survey—a review of simulation-based education.** *Southern African Journal of Anaesthesia and Analgesia.* 2019; **25**(4): 12–20.

[Publisher Full Text](#)

Tricco AC, Lillie E, Zarin W, et al.: **PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation.** *Ann Intern Med.* 2018; **169**(7): 467–473.

[PubMed Abstract](#) | [Publisher Full Text](#)

Using simulation to support practice based learning. 2021; [cited 2023 Jul 13,].

[Reference Source](#)

Watts PI, McDermott DS, Alinier G, et al.: **Healthcare simulation standards of best Practice™ simulation design.** *Clin Simul Nurs.* 2021a; **58**: 14–21.

[Publisher Full Text](#)

Watts PI, Rossler K, Bowler F, et al.: **Onward and upward: Introducing the healthcare simulation standards of best Practice™.** *Clin Simul Nurs.* 2021b; **58**: 1–4.

[Publisher Full Text](#)

Weaver SJ, Salas E, Lyons R, et al.: **Simulation-based team training at the sharp end: A qualitative study of simulation-based team training design, implementation, and evaluation in healthcare.** *J Emerg Trauma Shock.* 2010; **3**(4): 369–77.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Wheeler B, Dippenaar E: **The use of simulation as a teaching modality for paramedic education: A scoping review.** *Br Paramed J.* 2020; **5**(3): 31–43.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Open Peer Review

Current Peer Review Status:   

Version 1

Reviewer Report 04 January 2024

<https://doi.org/10.21956/mep.21172.r35394>

© 2024 **Nayahangan L.** This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

 **Leizl Joy Nayahangan** 

Copenhagen Academy for Medical Education and Simulation, Center for Human Resources and Education, Copenhagen, Denmark

Thank you for providing the opportunity to review this scoping review, which summarizes current approaches to evaluating the quality of simulation-based education (SBE) provision. I commend the authors for a job well done, and for following a systematic approach to scoping reviews. Ensuring the quality of SBE is an area that has not been fully explored and is indeed something that should become a focal point for the simulation community. Aligned with this and the authors findings, we have developed and published an operational rubric (based on implementation science) to evaluate the implementation quality of SBE in healthcare professions education. I do support the need to develop standards and tools to ensure implementation quality simulation-based training programs.

While I found the paper engaging, I have some constructive comments and suggestions for the authors' consideration in their revision.

- In the introduction, the definition of SBE, particularly in the initial paragraphs, appears somewhat restrictive. For instance, the delineation of SBE into three sequences may not universally apply, potentially limiting the scope of the authors' definition. I recommend broadening the definition by incorporating additional references that offer a more comprehensive understanding of SBE.
- Furthermore, a reference is needed for the statement "Simulation is recognized as an important means of improving patient outcomes..." For example: ¹
- The term "provision" in the context of SBE evaluation is somewhat ambiguous. While it seems the authors intended to cover aspects of development and implementation, the term itself does not explicitly convey this. I propose replacing "provision" with "development and implementation" for clarity and precision.
- Additionally, clarity is needed regarding the authors' definition of "quality" in the context of SBE. What are the benchmarks for quality in healthcare simulation? Have you used these as a framework in your analysis, particularly in the thematic analysis? Does this align with

- accreditation as was discussed and suggested as next steps by the authors?
- The inclusion of only six articles in the scoping review raises questions about the selection process, possibly influenced by the search string. I am curious about the reasons for exclusion, and I recommend incorporating this information into the PRISMA figure for transparency.

Thank you for considering these suggestions, and I look forward to seeing the enhanced version of your work.

References

1. Griswold-Theodorson S, Ponnuru S, Dong C, Szyld D, et al.: Beyond the simulation laboratory: a realist synthesis review of clinical outcomes of simulation-based mastery learning. *Acad Med.* 2015; **90** (11): 1553-60 [PubMed Abstract](#) | [Publisher Full Text](#)

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Partly

Are sufficient details of the methods and analysis provided to allow replication by others?

Partly

Is the statistical analysis and its interpretation appropriate?

Not applicable

Are the conclusions drawn adequately supported by the results presented in the review?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Simulation-based education; curriculum development; implementation science

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 04 December 2023

<https://doi.org/10.21956/mep.21172.r35390>

© 2023 Yoong S. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Si Qi Yoong 

Alice Lee Centre of Nursing Studies, Yong Loo Lin School of Medicine, National University of

Singapore, 21 Lower Kent Ridge Rd, Singapore

Thank you for this well-written review which has discussed the topic quite adequately and has brought new insights to the evaluation of simulation-based education provision. The methods could be further improved.

1. Please explain why a scoping review methodology was used and not other review methodologies such as a systematic review.
2. The section on “collating, summarising, and reporting the results” is too brief. Please refer to the updated guidelines from JBI on what should be described in this section (Pollock *et al.*, 2023¹): “The detail provided by authors should be more than a general statement that they will undertake descriptive statistics, tables, and a narrative summary. Rather, there should be a comprehensive description of the analyses undertaken in order to address each individual review question/objective.” e.g. the content analysis or thematic analysis process should be explained if used.
3. Table 1 can be improved by including the country where each paper was conducted, the sample size and participant characteristics (and number of studies, type of studies etc. in the case of reviews).
4. Figure 1: reasons why the 183 articles were excluded were not explained, which should be included in any PRISMA diagram.
5. The authors only retrieved 6 relevant articles in the review, which is quite little. This could be limited by the search strategy. The search terms for PubMed were only searched based on the title. Usually, the terms should be searched in title/abstract, not just the title. Mesh terms were also not included in the PubMed search strategy. PubMed and Medline are similar databases, I am not sure why the authors searched both. Scopus, a major search database was also not included.

References

1. Pollock D, Peters MDJ, Khalil H, McInerney P, et al.: Recommendations for the extraction, analysis, and presentation of results in scoping reviews. *JBI Evid Synth.* 2023; **21** (3): 520-532 [PubMed Abstract](#) | [Publisher Full Text](#)

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Partly

Are sufficient details of the methods and analysis provided to allow replication by others?

Partly

Is the statistical analysis and its interpretation appropriate?

Not applicable

Are the conclusions drawn adequately supported by the results presented in the review?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Simulation-based learning in health professions education, systematic reviews

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 25 October 2023

<https://doi.org/10.21956/mep.21172.r35001>

© 2023 Wilford A. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Amanda Wilford 

Staffordshire University, Stoke-on-Trent, England, UK

I think the paper identifies a gap in simulation processes.

One area that would add further strength to the paper is in the introduction - the authors talk about constructivism and experiential learning - linking the two approaches to the Jefferies comment would be useful and the associated references.

Later on in the proposed framework section Kolb is mentioned, although in a different context adding in a piece that although constructivism was a key element, that it is not there as the authors suggest a common approach.

The discussion and next steps are really well written with clear indications for practice.

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Yes

Are sufficient details of the methods and analysis provided to allow replication by others?

Yes

Is the statistical analysis and its interpretation appropriate?

Not applicable

Are the conclusions drawn adequately supported by the results presented in the review?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Simulation Healthcare Research particularly design and facilitation

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.
